



## Declaration of performance

according Annex III of the Regulation (EU) No 305/2011  
amended by Commissions delegated Regulation (EU) No 574/2014

## Declaration of conformity

according Statutory Instruments (UK) 2019 No. 465; 2020 No. 1359

<b>for the product</b>	<b>SP Prep rapid</b>
<b>No.</b>	<b>GBI-P 54-3</b>
<b>Unique identification code of the product-type</b>	0406
<b>Intended use/es</b>	Designed rendering/plastering mortar without special characteristics
<b>Manufacturer</b>	Remmers GmbH Bernhard-Remmers-Str. 13 49624 Lönigen (DE)  <b>Distributor UKCA:</b> Remmers (UK) Limited 1 & 2 Garden Suites, Coleshill Manor Campus, Birmingham B46 1DL (GB)
<b>System/s of AVCP</b>	System 4 (for internal and external uses, in walls, columns + partitions) System 4 (for reaction to fire regulations)
<b>Harmonised standard</b>	EN 998-1: 2017-02
<b>Notified body/ies</b>	not relevant

**Declared performance/s:**

Essential characteristic	Performance	System of assessment and verification of constancy of performance	Harmonised technical specification
Reaction to fire class:	A1	System 4	EN 998-1: 2017-02
Adhesion:	≥ 0,08 N/mm <sup>2</sup> (fracture pattern B)		
Water absorption:	W0		
Water vapour permeability (μ):	≤ 18		
Thermal conductivity (λ <sub>10,dry,mat</sub> ) for P = 50 %	≤ 0,83 W/(mK) (Table value acc. EN 1745)		
Thermal conductivity (λ <sub>10,dry,mat</sub> ) for P = 50 %	≤ 0,93 W/(mK) (Table value acc. EN 1745)		
Durability (against freeze-thaw):	Resistant, by use acc. TDS		
Dangerous substances:	NPD		

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance & conformity is issued, in accordance with Regulation (EU) No 305/2011 and Statutory Instruments (UK) 2019 No. 465; 2020 No. 1359 under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by

**Remmers GmbH**  
R & D Building protection IV



---

i.V. Dr. Magnus Greiwe  
(Department manager)

---

i.A. Thomas Anneken  
(Laboratory staff)

The declaration of performance was created electronically and is also valid without signature.

Löningen, 2024-10-24