



Declaration of performance

according Annex III of the Regulation (EU) No 305/2011
amended by Commissions delegated Regulation (EU) No 574/2014

Declaration of conformity

according Statutory Instruments (UK) 2019 No. 465; 2020 No. 1359

for the product	MB 1K S
No.	GBI-P 118-1
Unique identification code of the product-type	0852
Intended use/es	Liquid applied water impermeable product on walls and floors, beneath ceramic tiling (bonded with Remmers FL fix C2 adhesives in accordance with EN 12004)
Manufacturer	Remmers GmbH Bernhard-Remmers-Str. 13 49624 Lönigen (DE) Distributor UKCA: Remmers (UK) Limited 1 & 2 Garden Suites, Coleshill Manor Campus, Birmingham B46 1DL (GB)
System/s of AVCP	System 3 (for internal and external uses)
Harmonised standard	EN 14891:2012-07
Notified body/ies	Materialprüfanstalt (MPA) Braunschweig Beethovenstr. 52, 38106 Braunschweig Notified Body No 0761

IBMB has conducted the type testing of the product and the following is displayed **test report No. 1204/214/23a**

Declared performance/s:

Essential characteristic	Performance	System of assessment and verification of constancy of performance	Harmonised technical specification
Initial tensile adhesion strength	≥ 0,5 MPa	System 3	EN 14891: 2012-07
Tensile adhesion strength after water contact	≥ 0,5 MPa		
Tensile adhesion strength after heat aging	≥ 0,5 MPa		
Tensile adhesion strength after freeze-thaw cycles	≥ 0,5 MPa		
Tensile adhesion strength after contact with lime water	≥ 0,5 MPa		
Tensile adhesion strength after contact with chlorine water	≥ 0,5 MPa		
Waterproofing	no penetration		
Crack bridging ability	≥ 0,75 mm		
Crack bridging ability at low temperature (-5 °C)	≥ 0,75 mm		



The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance & conformity is issued, in accordance with Regulation (EU) No 305/2011 and Statutory Instruments (UK) 2019 No. 465; 2020 No. 1359 under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by

Remmers GmbH
R & D Building protection III

.....
i.V. Dr. Magnus Greiwe
(Department manager)

.....
i.A. Holger Nordmann
(Laboratory staff)

The declaration of performance was created electronically and is also valid without signature.

Löningen, 2024-04-09