

DECLARATION OF PERFORMANCE

according Annex III of the Regulation (EU) No 305/2011
amended by Commissions delegated Regulation (EU) No 574/2014

DECLARATION OF CONFORMITY

according Statutory Instruments (UK) 2019 No. 465; 2020 No. 1359

Name of the product

FF 1K

No. GBI F 053-1

Unique identification code of the product-type:

2868

Intended use/es:

Liquid applied water impermeable product for external installations on walls and floors, beneath ceramic tiling (bonded with FL fix ^[basic] C2 adhesives in accordance with EN 12004)

Manufacturer:

**Remmers GmbH
Bernhard-Remmers-Str. 13
49624 Lönigen / Germany**

Distributor UKCA:

**Remmers (UK) Limited, Unit 4, Lloyds Court, Manor Royal Crawley,
RH10 9QU**

System/s of AVCP:

System 3

Harmonised standard:

14891:2012

Notified body/ies:

Materialprüfanstalt für das Bauwesen (MPA BS)
Beethovenstraße 52
38106 Braunschweig/Germany
Notified Body 0761

performed the determination of the product-type on the basis of type testing and issued:

test report no. 1203/097/21a
test report no. 1203/195/21

Declared performance


Essential characteristic	Performance	System of assessment and verification of constancy of performance	Harmonised technical specification
Initial tensile adhesion strength	≥ 0,5 N/mm ²	System 3	14891:2012
Tensile adhesion strength after water contact	≥ 0,5 N/mm ²		
Tensile adhesion strength after heat ageing	≥ 0,5 N/mm ²		
Tensile adhesion strength after freeze-thaw cycles	≥ 0,5 N/mm ²		
Tensile adhesion strength after contact with lime water	≥ 0,5 N/mm ²		
Waterproofing	no penetration		
Crack bridging ability	≥ 0,75 mm		
Release of dangerous substances	NPD		

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance and conformity is issued, in accordance with Regulation (EU) No 305/2011 and Statutory Instruments (UK) 2019 No. 465; 2020 No. 1359 under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Remmers GmbH
F&E Bautenschutz I

Löningen, 19/12/2022
 (place and date of issue)



 i. V. Dr. Markus Boos
 (Senior Manager)



 ppa. Carsten Nagel
 (Director R&D)