





## **Declaration of performance**

according Annex III of the Regulation (EU) No 305/2011 amended by Commissions delegated Regulation (EU) No 574/2014

## **Declaration of conformity**

according Statutory Instruments (UK) 2019 No. 465; 2020 No. 1359

for the product	SP Top SR
No.	GBI-P 50-4
Unique identification code of the product-type	0416
Intended use/es	Designed rendering/plastering mortar used on moist masonry walls containing water soluble salts
Manufacturer	Remmers GmbH Bernhard-Remmers-Str. 13 49624 Löningen (DE)  Distributor UKCA: Remmers (UK) Limited 1 & 2 Garden Suites, Coleshill Manor Campus, Birmingham B46 1DL (GB)
System/s of AVCP	System 4 (for internal and external uses, in walls, columns + partitions) System 4 (for reaction to fire regulations)
Harmonised standard	EN 998-1: 2017-02
Notified body/ies	not relevant

## Declared performance/s:

Essential characteristic	Performance	System of assessment and verification of constancy of performance	Harmonised technical specification
Reaction to fire class:	A1		
Adhesion:	≥ 0,08 N/mm² (fracture pattern B)		
Water absorption:	≥ 0,3 kg/m² after 24 h		
Water vapour permeability (µ):	≤ 15	System 4	EN 998-1: 2017-02
Thermal conductivity $(\lambda_{10,dry, mat})$ for P = 50 %	≤ 0,27 W/(mK) (tab. value EN 1745)	System 4	EN 990-1. 2017-02
Durability (against freeze-thaw):	Resistant, by use acc. TDS		
Dangerous substances:	NPD		

Product number 0416





The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance & conformity is issued, in accordance with Regulation (EU) No 305/2011 and Statutory Instruments (UK) 2019 No. 465; 2020 No. 1359 under the sole responsibility of the manufacturer identified above.

manufacturer identified above.

Signed for and on behalf of the manufacturer by

	Remmer	s GmbH
	R & D Building	protection IV
<u></u>	i.V. Dr. Magnus Greiwe	i.A. Thomas Anneken

Löningen, 2024-03-28