



Declaration of performance

according Annex III of the Regulation (EU) No 305/2011

amended by Commissions delegated Regulation (EU) No 574/2014

for the product	Betofix HQ2
No.	GBI-P 59-1
Unique identification code of the product-type	0554
Intended use/es	<p>For applications with low performance requirements in construction and civil engineering</p> <p>Applying mortar by hand (3.1)</p> <p>Recasting with concrete (3.2)</p> <p>Spraying concrete or mortar (3.3)</p> <p>Structural strengthening by adding mortar or concrete (4.4)</p> <p>Increasing cover to reinforcement with additional cementitious mortar or concrete (7.1)</p> <p>Replacing contaminated concrete (7.2)</p>
Manufacturer	<p>Remmers GmbH</p> <p>Bernhard-Remmers-Str. 13</p> <p>49624 Lönigen (DE)</p>
System/s of AVCP	System 4 (for internal and external uses, in walls, columns + partitions)
Harmonised standard	EN 1504-3: 2005
Notified body/ies	not relevant

Declared performance/s:

Essential characteristics	Performance	System of assessment and verification of constancy of performance	Harmonised Technical specification
Compressive strength class:	R3	System 4	EN 1504-3:2005
Chloride ion content	NPD		
Adhesive bond	NPD		
Restrained shrinkage/expansion	NPD		
Carbonation resistance	NPD		
Elastic modulus	$\geq 25000 \text{ N/mm}^2$		
Thermal compatibility	NPD		
Skid resistance	NPD		
Capillary absorption	$\leq 0,5 \text{ kg}/(\text{m}^2 \cdot \text{h}^{0,5})$		
Reaction to fire class	A1		
Dangerous substances	NPD		



The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by

Remmers GmbH
R & D Building protection I

.....
i.V. Dr. Magnus Greiwe
(Department manager)

.....
i. A. Lenard Möhlenhaskamp
(Laboratory staff)

The declaration of performance was created electronically and is also valid without signature.

Löningen, 2025-04-09