





Declaration of performance

according Annex III of the Regulation (EU) No 305/2011 amended by Commissions delegated Regulation (EU) No 574/2014

for the product	FM NB [basic]
No.	GBI-P 26-4
Unique identification code of the product-type	1027
Intended use/es	Designed general purpose masonry mortar for internal and external use in elements subject to structural requirements
Manufacturer	Remmers GmbH Bernhard-Remmers-Str. 13 49624 Löningen (DE)
System/s of AVCP	System 2+ (for internal and external uses, in walls, columns and partitions) System 4 (for reaction to fire regulations)
Harmonised standard	EN 998-2: 2016-11
Notified body/ies	GG-CERT e.V., Annastraße 67-71, 50968 Köln, Notified Body 0785

Certificate of conformity of the factory production control $\mathbf{0.785}$ - \mathbf{CPR} - $\mathbf{21}$ - $\mathbf{104}$ - $\mathbf{13}$

Declared performance/s:

Essential characteristic	Performance	System of assessment and verification of constancy of performance	Harmonised technical specification
Compressive strength class	M10	System 2+	EN 998-2: 2016-11
Bond strength:	≥ 0,10 N/mm² (Characteristic initial shear strength (adhesive shear strength) tested acc. to EN 1052-3 (method B) in conjunction with sand-lime brick acc. to EN 771 at a moisture content of 3-7 M-%)		
Contents of chlorides:	≤ 0,1 M%		
Water absorption:	$\leq 0,70 \text{ kg/(m}^2 \cdot \text{min}^{0,5})$		
Water vapour permeability (µ):	15/35 (tab. value EN 1745)		
Thermal conductivity $(\lambda_{10,dry, mat})$ for P = 50 %	≤ 1,11 W/(m • K) (tab. value EN 1745)		
Thermal conductivity $(\lambda_{10,dry,mat})$ for P = 90 %	≤ 1,21 W/(m•K) (tab. value EN 1745)		
Durability (against freeze-thaw):	Resistant, by use acc. TDS		
Reaction to fire class:	A1 (System 4)		
Dangerous substances:	NPD		

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.





Signed for and on behalf of the manufacturer by					
Remmers	GmbH				
R & D Building p	rotection IV				
i.V. Dr. Magnus Greiwe	i.A. Thomas Anneken				
(Department manager)	(Laboaratory staff)				
The declaration of performance was created electronically and is also valid wi	thout signature.				

Löningen, 2024-08-21