



## Declaration of performance

according Annex III of the Regulation (EU) No 305/2011

amended by Commissions delegated Regulation (EU) No 574/2014

<b>for the product</b>	<b>Betofix RM</b>
<b>No.</b>	<b>GBI-P 3-7</b>
<b>Unique identification code of the product-type</b>	1092
<b>Intended use/es</b>	<p>For applications with low performance requirements in construction and civil engineering</p> <p>Applying mortar by hand (3.1)</p> <p>Recasting with concrete (3.2)</p> <p>Spraying concrete or mortar (3.3)</p> <p>Increasing cover to reinforcement with additional cementitious mortar or concrete (7.1)</p> <p>Replacing contaminated concrete (7.2)</p> <p>PCC Mortar for non structural repair for concrete</p>
<b>Manufacturer</b>	<p>Remmers GmbH</p> <p>Bernhard-Remmers-Str. 13</p> <p>49624 Lönigen (DE)</p>
<b>System/s of AVCP</b>	<p><b>System 2+</b> (for uses in buildings and civil engineering works)</p> <p>System 4 (for reaction to fire regulations)</p>
<b>Harmonised standard</b>	EN 1504-3: 2005
<b>Notified body/ies</b>	<p><b>QDB</b> Qualitätsgemeinschaft Deutsche Bauchemie e.V.</p> <p>Mainzer Landstr. 55, 60329 Frankfurt am Main</p> <p>Notified Body 0921</p> <p>Certificate of conformity of the factory production control <b>0921-CPR-2042</b></p>

### Declared performance/s:

Essential characteristics	Performance	System of assessment and verification of constancy of Performance	Harmonised Technical specification
Compressive strength class	R1	System 2+	EN 1504-3:2005
Chloride ion content	≤ 0,05 %		
Adhesive bond	≥ 0,8 MPa		
Carbonation resistance	NPD		
Elastic modulus	NPD		
Thermal compatibility	≥ 0,8 MPa		
Skid Resistance	NPD		
Dangerous substances	NPD		
Reaction to fire class	E		System 4

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by

**Remmers GmbH**



---

R & D Building protection I

.....  
i.V. Dr. Magnus Greiwe  
(Department manager)

.....  
i.V. Lenard Möhlenhaskamp  
(Laboratory staff)

**The declaration of performance was created electronically and is also valid without signature.**

Löningen, 2025-02-20