



## Declaration of performance

according Annex III of the Regulation (EU) No 305/2011  
amended by Commissions delegated Regulation (EU) No 574/2014

## Declaration of conformity

according Statutory Instruments (UK) 2019 No. 465; 2020 No. 1359

<b>for the product</b>	<b>MB 2K [eco]</b>
<b>No.</b>	<b>GBI-P 114-1</b>
<b>Unique identification code of the product-type</b>	2940
<b>Intended use/es</b>	Liquid applied water impermeable product for external installations on walls and floors, beneath ceramic tiling (bonded with Remmers FL fix C2 adhesives in accordance with EN 12004)
<b>Manufacturer</b>	Remmers GmbH Bernhard-Remmers-Str. 13 49624 Lönigen (DE)  <b>Distributor UKCA:</b> Remmers (UK) Limited 1 & 2 Garden Suites, Coleshill Manor Campus, Birmingham B46 1DL (GB)
<b>System/s of AVCP</b>	<b>System 3</b> (for internal and external uses)
<b>Harmonised standard</b>	EN 14891:2012-07
<b>Notified body/ies</b>	Materialprüfanstalt (MPA) Braunschweig Beethovenstr. 52, 38106 Braunschweig Notified Body No 0761

IBMB Braunschweig has conducted the type testing of the product and the following is displayed: **test report No. 1203/777/22**

Declared performance/s:



Essential characteristic	Performance	System of assessment and verification of constancy of performance	Harmonised technical specification
Initial tensile adhesion strength	≥ 0,5 N/mm <sup>2</sup>	System 3	EN 14891: 2012-07
Tensile adhesion strength after water contact	≥ 0,5 N/mm <sup>2</sup>		
Tensile adhesion strength after heat ageing	≥ 0,5 N/mm <sup>2</sup>		
Tensile adhesion strength after freeze-thaw cycles	≥ 0,5 N/mm <sup>2</sup>		
Tensile adhesion strength after contact with lime water	≥ 0,5 N/mm <sup>2</sup>		
Tensile adhesion strength after contact with chlorine water	≥ 0,5 N/mm <sup>2</sup>		
Waterproofing	no penetration		
Crack bridging ability	≥ 0,75 mm		
Crack bridging ability at low temperature	≥ 0,75 mm at -5°C		



The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance & conformity is issued, in accordance with Regulation (EU) No 305/2011 and Statutory Instruments (UK) 2019 No. 465; 2020 No. 1359 under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by

**Remmers GmbH**  
R & D Building protection III

.....  
i.A. Dr. Magnus Greiwe  
(Department manager)

.....  
i.A. Christian Jaskulke  
(Laboratory staff)

**The declaration of performance was created electronically and is also valid without signature.**

Löningen, 2024-02-08