

Page 1/7

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.04.2024

Version number 8 (replaces version 7)

Revision: 29.04.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Trade name Haftfest

Article number: 0220

**1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

Email: sales@remmers.co.ukk

Application of the substance / the mixture Adhering additve

## 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Remmers GmbH Bernhard-Remmers-Str. 13 D-49624 Löningen / Germany Mar Tel.: +49(0)5432/83-0 Fax: +49(0)5432/3985 Information department: Product Safety department: Phone: +44 (0) 1293 594 010

Remmers (UK) Limited Unit 4 , Lloyds Court Manor Royal, Crawley – West Sussex RH10 9QU fon +44 (0) 1293 594 010 fax +44 (0) 1293 594 037

## 1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number: within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

SECTION 2: Hazards identification

#### **2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008** The product is not classified, according to the GB CLP regulation.

2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008
The product is classified and labelled according to the GB CLP regulation.
Hazard pictograms Void
Signal word Void
Hazard statements Void
Additional information:
EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.
2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable.

Determination of endocrine-disrupting properties Not applicable.

**SECTION 3: Composition/information on ingredients** 

3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions.

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.04.2024

Version number 8 (replaces version 7) Revi

Revision: 29.04.2024

(Contd. of page 1)

## Trade name Haftfest

| Dangerous components [% w/w]:   |  |                   |  |  |  |
|---|--|-------------------|--|--|--|
| CAS: 67-63-0<br>EINECS: 200-661-7<br>Index number: 603-117-00-0<br>Reg.nr.: 01-2119457558-25-<br>XXXX   | propan-2-ol<br>Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT<br>SE 3, H336  | ≥0.5-≤1%          |  |  |  |
| CAS: 1310-73-2<br>EINECS: 215-185-5<br>Index number: 011-002-00-6<br>Reg.nr.: 01-2119457892-27-<br>XXXX | sodium hydroxide<br>Met. Corr.1, H290; Skin Corr. 1A, H314<br>Specific concentration limits:<br>Skin Corr. 1A;H314: $C \ge 5$ %<br>Skin Corr. 1B; H314: $2 \% \le C < 5 \%$<br>Skin Irrit. 2; H315: $0.5 \% \le C < 2 \%$<br>Eye Irrit. 2; H319: $0.5 \% \le C < 2 \%$   | ≥0.1-≤0.25%       |  |  |  |
| CAS: 2634-33-5<br>EINECS: 220-120-9<br>Index number: 613-088-00-6                                       | 1,2-benzisothiazol-3(2H)-one<br>Eye Dam. 1, H318; Aquatic Acute 1, H400;<br>Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin<br>Sens. 1, H317<br>Specific concentration limit:<br>Skin Sens. 1;H317: C ≥ 0.05 %   | ≥0.0015-<0.05%    |  |  |  |
| CAS: 55965-84-9<br>Index number: 613-167-00-5   | reaction mass of 5-chloro-2- methyl-2H-<br>isothiazol-3-one and 2-methyl-2H-isothiazol-3-<br>one (3:1)<br>Acute Tox. 3, H301; Acute Tox. 2, H310;<br>Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye<br>Dam. 1, H318; Aquatic Acute 1, H400<br>(M=100); Aquatic Chronic 1, H410 (M=100);<br>Skin Sens. 1A, H317, EUH071<br>Specific concentration limits:<br>Skin Corr. 1C;H314: C ≥ 0.6 %<br>Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %<br>Eye Dam. 1; H318: C ≥ 0.6 %<br>Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %<br>Skin Sens. 1A; H317: C ≥ 0.0015 % | ≥0.00025-<0.0015% |  |  |  |

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

## 4.1 Description of first aid measures

After inhalation Seek medical treatment in case of complaints.

After skin contact If skin irritation continues, consult a doctor.

After eye contact Seek medical treatment.

After swallowing Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

**SECTION 5: Firefighting measures** 

## 5.1 Extinguishing media

## Suitable extinguishing agents

CO<sub>□</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available. **5.3 Advice for firefighters** 

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

6.2 Environmental precautions:

Do not allow to enter the ground/soil.

Page 3/7

## Safety data sheet

Version number 8 (replaces version 7)

according to 1907/2006/EC, Article 31

Printing date 29.04.2024

## Trade name Haftfest

(Contd. of page 2)

Revision: 29.04.2024

Dilute with plenty of water. **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). **6.4 Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

No special measures required.

No special precautions necessary if used correctly.

Information about protection against explosions and fires: No special requirements.

#### 7.2 Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and containers: Store only in the original container.

**Requirements to be met by storerooms and containers:** Store only in the original container. **Information on storage in a common storage facility:** none **Further information about storage conditions:** None.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### Components with limit values that require monitoring at the workplace:

## CAS: 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m<sup>3</sup>, 500 ppm Long-term value: 999 mg/m<sup>3</sup>, 400 ppm

## CAS: 1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m<sup>3</sup>

Additional information: The lists that were valid during compilation were used as a basis.

#### 8.2 Exposure controls

#### Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures

Use skin protection cream for preventive skin protection.

Avoid close or long term contact with the skin.

Wash hands before pauses and after work.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evalutated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euiqment is not required or the amount of the PPE can be adpated accordingly.

## Respiratory equipment: not required.

## Hand protection

Protective gloves or protective skin cream.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## Material of gloves

## Rubber gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection if there is a risk of splashes

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 8 (replaces version 7)

Printing date 29.04.2024

Revision: 29.04.2024

(Contd. of page 3)

## Trade name Haftfest

Corrosive to metals

| SECTION 9: Physical and chemical prop            | erties                    |
|--|---------------------------|
| 9.1 Information on basic physical and chemi      | cal properties            |
| General Information                              |                           |
| Physical state                                   | Fluid                     |
| Colour:  | White                     |
| Odour:   | Characteristic            |
| Odour threshold:                                 | Not determined.           |
| Melting point/freezing point:                    | Not determined            |
| Boiling point or initial boiling point and boili | ng                        |
| range  | 100 °C                    |
| Flammability                                     | Not applicable.           |
| Lower and upper explosion limit                  |                           |
| Lower:   | Not determined.           |
| Upper:   | Not determined.           |
| Flash point:                                     | Not applicable            |
| Auto-ignition temperature:                       | not applicable            |
| Decomposition temperature:                       | Not determined.           |
| pH at 20 °C                                      | 9.5                       |
| Viscosity:                                       | 9.5                       |
| Kinematic viscosity at 20 °C                     | < 30 s (DIN 53211/4)      |
|  | Not determined.           |
| dynamic:   |                           |
| Solubility                                       | <u>Fully</u> missible     |
| Water:   | Fully miscible            |
| Partition coefficient n-octanol/water (log valu  |                           |
| Vapour pressure:                                 | Not determined.           |
| Density and/or relative density                  |                           |
| Density at 20 °C:                                | 1.01 g/cm <sup>3</sup>    |
| Relative density                                 | Not determined.           |
| Vapour density                                   | Not determined.           |
| 9.2 Other information                            |                           |
| Appearance:                                      |                           |
| Form:  | Liquid                    |
| Important information on protection of healt     |                           |
| and environment, and on safety.                  |                           |
| Explosive properties:                            | Product is not explosive. |
| Solvent separation test                          | < 3 %                     |
| Organic solvents:                                | ca. 0.7 %                 |
| Change in condition                              |                           |
| Evaporation rate                                 | Not determined.           |
| •  |                           |
| Information with regard to physical hazard       |                           |
| classes  |                           |
| Explosives                                       | Void                      |
| Flammable gases                                  | Void                      |
| Aerosols   | Void                      |
| Oxidising gases                                  | Void                      |
| Gases under pressure                             | Void                      |
| Flammable liquids                                | Void                      |
| Flammable solids                                 | Void                      |
| Self-reactive substances and mixtures            | Void                      |
| Pyrophoric liquids                               | Void                      |
| Pyrophoric solids                                | Void                      |
| Self-heating substances and mixtures             | Void                      |
| Substances and mixtures, which emit              |                           |
| flammable gases in contact with water            | Void                      |
| Oxidising liquids                                | Void                      |
| Oxidising solids                                 | Void                      |
| Organic peroxides                                | Void                      |
| Corrosive to metals                              | Void                      |

Void

## Safety data sheet

according to 1907/2006/EC, Article 31 Version number 8 (replaces version 7)

Printing date 29.04.2024

Revision: 29.04.2024

## Trade name Haftfest

(Contd. of page 4)

## **Desensitised explosives**

Void

## SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

**10.6 Hazardous decomposition products:** None if used properly.

## **SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity:** Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification: No further relevant information available. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met. Sensitisation: Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met. 11.2 Information on other hazards

## Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

## 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

## **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

## Additional ecological information:

## General notes:

Do not allow product to reach ground water, bodies of water or sewage system.

Do not allow undiluted or larger quantities of the product to reach ground water, bodies fo water or sewage system.

## SECTION 13: Disposal considerations

## Recommendation

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

## European waste catalogue

17 01 01 concrete

## Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

Page 6/7

## Safety data sheet

according to 1907/2006/EC, Article 31 Version number 8 (replaces version 7)

Printing date 29.04.2024

Revision: 29.04.2024

(Contd. of page 5)

## Trade name Haftfest

Packaging can be reused or recycled after cleaning. **Recommended cleaning agent:** Water, if necessary with cleaning agent.

| SECTION 14: Transport information  |  |  |
|--|--|--|
| 14.1 UN number or ID number<br>ADR, ADN, IMDG, IATA  | Void   |  |
| 14.2 UN proper shipping name<br>ADR, ADN, IMDG, IATA                                       | Void   |  |
| 14.3 Transport hazard class(es)  |  |  |
| ADR, ADN, IMDG, IATA<br>Class  | Void   |  |
| 14.4 Packing group<br>ADR, IMDG, IATA  | Void   |  |
| 14.5 Environmental hazards:<br>Marine pollutant:   | No   |  |
| 14.6 Special precautions for user  | Not applicable.  |  |
| 14.7 Maritime transport in bulk according to         IMO instruments       Not applicable. |  |  |
| Transport/Additional information:  | Not a hazardous good according to the above regulations. |  |
| UN "Model Regulation":   | Void   |  |

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act

| Regulated explosives precursors    |                                 |
|------------------------------------|---------------------------------|
| None of the ingredients is listed. |                                 |
| Regulated poisons                  |                                 |
| None of the ingredients is listed. |                                 |
| Reportable explosives precursors   |                                 |
| None of the ingredients is listed. |                                 |
| Reportable poisons                 |                                 |
| CAS: 1310-73-2 sodium hydroxide    | 12% of total caustic alkalinity |
| Directive 2012/18/EU               |                                 |

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

## Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

## Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

## National regulations

## Other regulations, limitations and prohibition ordinances

Observe the usual protective measures when working and for storage.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Page 7/7

## Safety data sheet according to 1907/2006/EC, Article 31

Version number 8 (replaces version 7)

Printing date 29.04.2024

## Trade name Haftfest

Revision: 29.04.2024

(Contd. of page 6)

#### **SECTION 16: Other information**

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

#### **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H290 May be corrosive to metals.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

#### Classification according to Regulation (EC) No 1272/2008 Calculation method

# **Department issuing data specification sheet:** Product Safety department / EHS **Version number of previous version:** 7

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1