

Page 1/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.12.2022

Version number 7 (replaces version 6)

Revision: 06.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name RM GF (Restoration Mortar GF)

Article number: 0588-0590

1.2 Relevant identified uses of the substance or mixture and uses advised against Product category PC9b Fillers, putties, plasters, modelling clay **Application of the substance / the mixture** Ready-mixed mortar

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Remmers GmbH Bernhard-Remmers-Str. 13 D-49624 Löningen / Germany Mano Tel.: +49(0)5432/83-0 Fax: +49(0)5432/3985 Information department: Product Safety department: Phone: +44 (0) 1293 594 010 Email: sales@remmers.co.ukk

Remmers (UK) Limited Unit 4 , Lloyds Court Manor Royal, Crawley – West Sussex RH10 9QU fon +44 (0) 1293 594 010 fax +44 (0) 1293 594 037

1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number: within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. Hazard pictograms



Signal word Danger

 Hazard-determining components of labelling:

 cement

 Hazard statements

 H315 Causes skin irritation.

 H318 Causes serious eye damage.

 Precautionary statements

 P101
 If medical advice is needed, have product container or label at hand.

 P102
 Keep out of reach of children.

Page 2/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.12.2022

Version number 7 (replaces version 6)

Revision: 06.12.2022

Trade name RM GF (Restoration Mortar GF)

(Contd. of page 1) Read carefully and follow all instructions. P103 P260 Do not breathe dust. P280 Wear protective gloves / eye protection / face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. 2.3 Other hazards low chromate content according to directive 2003/53 EG Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions.

Dangerous components [% w/w]:			
CAS: 65997-15-1 EINECS: 266-043-4	cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥10-<20%	
CAS: 1309-37-1 EINECS: 215-168-2 Reg.nr.: 01-2119457614-35- XXXX	diiron trioxide substance with a Community workplace exposure limit	≥5-<10%	

Additional information

The preparation has a low chromate content according to directive 2003/53/EG.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information When symptoms occur or in case of doubt, seek medical advice **After inhalation** In case of unconsciousness bring patient into stable side position for transport.

After skin contact

Wash immediately with water and soap and rinse thoroughly.

Wash off immediately with water.

After eye contact Rinse opened eye for several minutes under running water. Then consult doctor. After swallowing Call a doctor immediately.

Information for doctor see item 3

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed symptomatic treatment

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents No special measures required.

Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

Formation of poisonous gases during heating or in fires.

5.3 Advice for firefighters

Protective equipment: Put on breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid causing dust. Avoid skin contact. Avoid eye contact. Put on breathing apparatus. Wear protective equipment. Keep unprotected persons away. Page 3/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.12.2022

Version number 7 (replaces version 6)

Revision: 06.12.2022

Trade name RM GF (Restoration Mortar GF)

(Contd. of page 2)

6.2 Environmental precautions: Avoid uncontrolled admittance of water. Avoid uncontrolled runoff after admittance of water. Avoid runoff into sewage system and receiving water.
6.3 Methods and material for containment and cleaning up: Keep away from water. Use neutralising agent. Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.
6.4 Reference to other sections Hardens after contact with water. After hardening it can be disposed of as concrete (European waste

catalogue: EWC-Code: 170101). See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protect against moisture. Keep out of reach of children. Avoid skin contact. Avoid eye contact. Thorough removal of dust. Ensure good ventilation/exhaust in workplaces. Avoid the formation of dust. Information about protection against explosions and fires: No special requirements. Keep breathing equipment ready.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and containers: No special requirements. Information on storage in a common storage facility: none Further information about storage conditions: Store dry.

Protect from humidity and keep away from water. Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.1 Control parameters				
Components with limit values that require monitoring at the workplace:				
CAS: 65997-15-1 cement				
WEL Long-term value: 10* 4** mg/m ³ *inhalable dust **respirable dust				
CAS: 1309-37-1 diiron trioxide				
WEL Short-term value: 10 [*] mg/m ³ Long-term value: 5 [*] 10 ^{**} 4 ^{***} mg/m ³ *fume (as Fe),**total respirable,***respirable				
Additional information: The lists that were valid during compilation were used as a basis.				
 8.2 Exposure controls Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures Do not eat, drink or smoke while working. Use skin protection cream for preventive skin protection. Observe Professional Association regulations. Keep away from food, beverages and animal feed. Immediately remove soiled, saturated clothing. Wash hands before pauses and after work. Avoid contact with eyes and skin. The following indication regarding the personal protective equipment are to be considered as 				
suggestions. The selection of the necessary personal protective equipment is to be evalutated by the employer depending on the types of operations and the local circumstances. If a risk assessment on site shows that there is no risk for employees, the personal protective euiqment is not required or the				

amount of the PPE can be adpated accordingly.

Page 4/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.12.2022

Version number 7 (replaces version 6)

Revision: 06.12.2022

Trade name RM GF (Restoration Mortar GF)

(Contd. of page 3)

Respiratory equipment:

Short term filter device: Particle-Filter P2

In case of brief exposure or low pollution load, use respiratory protection equipment with filter. In case of intensive or longer exposure, use self-contained respiratory protection equipment.

Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection

Avoid contact with eyes. In case of eye contact, rinse immediately and thoroughly with water. Seek medical advice.

Tightly sealed safety glasses.

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties		
General Information		
Physical state	Solid.	
Colour:	According to product specification	
Odour:	cement-like	
Odour threshold:	Not determined.	
Melting point/freezing point:	> 1000 °C	
Boiling point or initial boiling point and boiling		
range	Not determined	
Flammability	Not determined.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable	
Ignition temperature:	not applicable	
Decomposition temperature:	Not determined.	
pH at 20 °C	12 - 13	
	10% solution	
Viscosity:		
Kinematic viscosity	Not applicable.	
dynamic:	Not applicable.	
Solubility		
Water:	Partly miscible	
Partition coefficient n-octanol/water (log value)		
Vapour pressure:	Not applicable.	
Density and/or relative density		
Density:	Not determined	
Relative density	Not determined.	
Bulk apparent density at 20 °C	ca. 1.6 kg/dm ³	
Vapour density	Not applicable.	
vapour uchoity	NUL applicable.	

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.12.2022

Version number 7 (replaces version 6)

Revision: 06.12.2022

Trade name RM GF (Restoration Mortar GF)

(Contd. of page 4)

Particle characteristics	See item 3.
9.2 Other information	
Appearance:	
Form:	Powder
Important information on protection of healt	h
and environment, and on safety.	
Explosive properties:	Product is not explosive.
Change in condition	
Evaporation rate	Not applicable.
Information with regard to physical hazard	
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if handled and stored according to specifications.

Avoid the entrance of moisture

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification: No further relevant information available. Skin corrosion/irritation:

May cause irritation.

Causes skin irritation.

Serious eye damage/irritation: Causes serious eye damage.

Sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

Page 6/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.12.2022

Version number 7 (replaces version 6)

Revision: 06.12.2022

Trade name RM GF (Restoration Mortar GF)

(Contd. of page 5)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Do not allow undiluted or non-neutralised product to reach the sewage system or receiving waters. Do not allow product to reach ground water, bodies of water or sewage system.

SECTION 13: Disposal considerations

Recommendation

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions. May be used again if taken up in dry. After the addition of water and subsequent hardening, dispose of as concrete.

European waste catalogue

17 01 01 concrete

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations. Packaging can be reused or recycled after cleaning. **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according to IMO instruments Not applicable.	
Transport/Additional information:	Not a hazardous good according to the above regulations.

Page 7/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.12.2022

Version number 7 (replaces version 6)

Revision: 06.12.2022

Trade name RM GF (Restoration Mortar GF)

(Contd. of page 6)

UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations

Other regulations, limitations and prohibition ordinances

Professional Association Principles/Industrial Medicine regulations, e.g. principles of industrial medicine Occupational Safety Regulations.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

Relevant phrases

H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. **Classification according to Regulation (EC) No 1272/2008** Calculation method

Department issuing data specification sheet: Product Safety department / EHS **Date of previous version:** 09.02.2021

Version number of previous version: 6

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Skin Irrit. 2: Skin corrosion/irritation Category 2
- Eye Dam. 1: Serious eye damage/eye irritation Category 1
- STOT SE 3: Specific target organ toxicity (single exposure) Category 3