

Page 1/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.12.2022

Version number 5 (replaces version 4)

Revision: 06.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier Trade name **BETOFIX KFM SONDER**

Article number: 1097

1.2 Relevant identified uses of the substance or mixture and uses advised against Product category PC9b Fillers, putties, plasters, modelling clay Application of the substance / the mixture Ready-mixed mortar

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Remmers GmbH Bernhard-Remmers-Str. 13 D-49624 Löningen / Germany Mano Tel.: +49(0)5432/83-0 Fax: +49(0)5432/3985 Information department: Product Safety department: Phone: +44 (0) 1293 594 010 Email: sales@remmers.co.ukk

Remmers (UK) Limited Unit 4 , Lloyds Court Manor Royal, Crawley – West Sussex RH10 9QU fon +44 (0) 1293 594 010 fax +44 (0) 1293 594 037

### 1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number: within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

**SECTION 2: Hazards identification** 

### 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation. **Hazard pictograms** 



### Signal word Danger

Hazard-determining components of labelling:
cement
titanium dioxide
Hazard statements
H315 Causes skin irritation.
H318 Causes serious eye damage.
H351 Suspected of causing cancer. Route of exposure: Inhalation.

Page 2/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.12.2022

Version number 5 (replaces version 4)

Revision: 06.12.2022

(Contd. of page 1)

## Trade name BETOFIX KFM SONDER

### **Precautionary statements**

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust.
P280	Wear protective gloves / eye protection / face protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/
	international regulations.

### Additional information:

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust. **2.3 Other hazards** low chromate content according to directive 2003/53 EG

### **Results of PBT and vPvB assessment PBT:** Not applicable.

**vPvB:** Not applicable.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions.

Dangerous components [% w/w]:				
CAS: 65997-15-1 EINECS: 266-043-4	cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥10-<20%		
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17- XXXX	titanium dioxide Carc. 2, H351	≥2.5-<5%		
CAS: 1305-78-8 EINECS: 215-138-9 Reg.nr.: 01-2119475325-36- XXXX	calcium oxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	0.1-≤0.25%		
Additional information For the wording of the listed hazard phrases refer to section 16				

Additional information For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures** 

### 4.1 Description of first aid measures

General information When symptoms occur or in case of doubt, seek medical advice

After inhalation

Supply fresh air.

In case of unconsciousness bring patient into stable side position for transport.

After skin contact Wash immediately with water and soap and rinse thoroughly.

After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing Call a doctor immediately.

Information for doctor see item 3

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** symptomatic treatment

**SECTION 5: Firefighting measures** 

according to 1907/2006/EC, Article 31 Version number 5 (replaces version 4)

Printing date 06.12.2022

Revision: 06.12.2022

## Trade name BETOFIX KFM SONDER

(Contd. of page 2)

<b>5.2 Special hazards arising from the substance or mixture</b> Formation of poisonous gases during heating or in fires. <b>5.3 Advice for firefighters</b> <b>Protective equipment:</b> But on breathing apparatus
Protective equipment: Put on breathing apparatus.

**SECTION 6: Accidental release measures** 

### 6.1 Personal precautions, protective equipment and emergency procedures Avoid causing dust. Avoid skin contact. Avoid eye contact. Put on breathing apparatus. Wear protective equipment. Keep unprotected persons away. 6.2 Environmental precautions: Avoid uncontrolled admittance of water. Avoid uncontrolled runoff after admittance of water. Avoid runoff into sewage system and receiving water. 6.3 Methods and material for containment and cleaning up: Keep away from water. Use neutralising agent. Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation. 6.4 Reference to other sections Hardens after contact with water. After hardening it can be disposed of as concrete (European waste catalogue: EWC-Code: 170101). See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal. **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Protect against moisture. Keep out of reach of children. Avoid skin contact. Avoid eye contact. Thorough removal of dust. Ensure good ventilation/exhaust in workplaces. Open and handle container with care. Avoid the formation of dust. Information about protection against explosions and fires: No special requirements. Keep breathing equipment ready.

### 7.2 Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and containers: No special requirements. Information on storage in a common storage facility: none Further information about storage conditions: Store dry. Protect from humidity and keep away from water. Keep container tightly closed.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

Com	Components with limit values that require monitoring at the workplace:		
CAS: 65997-15-1 cement			
WEL	Long-term value: 10* 4** mg/m <sup>3</sup> *inhalable dust **respirable dust		
CAS: 13463-67-7 titanium dioxide			
WEL	Long-term value: 10* 4** mg/m <sup>3</sup> *total inhalable **respirable		
CAS: 1305-78-8 calcium oxide			
WEL	Short-term value: 4* mg/m <sup>3</sup> Long-term value: 2 1* mg/m <sup>3</sup> *respirable fraction		

according to 1907/2006/EC, Article 31

Printing date 06.12.2022

Version number 5 (replaces version 4)

Revision: 06.12.2022

(Contd. of page 3)

## Trade name BETOFIX KFM SONDER

Additional information: The lists that were valid during compilation were used as a basis.

### 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures Do not eat, drink or smoke while working.

Use skin protection cream for preventive skin protection.

Observe Professional Association regulations.

Keep away from food, beverages and animal feed.

Immediately remove soiled, saturated clothing.

Wash hands before pauses and after work.

Store protective clothing separately.

Avoid contact with eyes and skin.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evalutated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euiqment is not required or the amount of the PPE can be adpated accordingly.

### **Respiratory equipment:**

When dust is formed:

Particle-Filter P2

In case of brief exposure or low pollution load, use respiratory protection equipment with filter. In case of intensive or longer exposure, use self-contained respiratory protection equipment.

### Hand protection

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### Material of gloves

### Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

### Eye/face protection

Avoid contact with eyes. In case of eye contact, rinse immediately and thoroughly with water. Seek medical advice.

Tightly sealed safety glasses.

Body protection: Protective work clothing.

**SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties **General Information** Physical state Solid Colour: cement grey Odour: cement-like **Odour threshold:** Not determined. Melting point/freezing point: > 1000 °C Boiling point or initial boiling point and boiling range Not determined Flammability Not determined. Lower and upper explosion limit Lower: Not determined. Upper: Not determined.

according to 1907/2006/EC, Article 31

Printing date 06.12.2022

Flash point:

Ignition temperature:

Version number 5 (replaces version 4)

Not applicable

not applicable

Revision: 06.12.2022

(Contd. of page 4)

## Trade name **BETOFIX KFM SONDER**

**Decomposition temperature:** Not determined. pН Not applicable. Viscosity: **Kinematic viscosity** Not applicable. dynamic: Not applicable. Solubility Water: miscible Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not applicable. Density and/or relative density **Density:** Not determined **Relative density** Not determined. Bulk apparent density at 20 °C ca. 1.4 kg/dm3 Vapour density Not applicable. **Particle characteristics** See item 3. 9.2 Other information **Appearance:** Form: Powder Important information on protection of health and environment, and on safety. **Explosive properties:** Product is not explosive. Solvent separation test Organic solvents: 0.0 % **VOC EU** Solid content: 100.0 % Change in condition **Evaporation rate** Not applicable. Information with regard to physical hazard classes **Explosives** Void Flammable gases Void Aerosols Void **Oxidising gases** Void Gases under pressure Void **Flammable liquids** Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void Organic peroxides Void Corrosive to metals Void **Desensitised explosives** Void

**SECTION 10: Stability and reactivity** 

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: Avoid the entrance of moisture

10.3 Possibility of hazardous reactions No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

according to 1907/2006/EC, Article 31

Printing date 06.12.2022

Version number 5 (replaces version 4)

Revision: 06.12.2022

## Trade name **BETOFIX KFM SONDER**

(Contd. of page 5)

### 10.6 Hazardous decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

## LD/LC50 values that are relevant for classification: No further relevant information available.

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/irritation: Causes serious eye damage.

Sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Suspected of causing cancer. Route of exposure: Inhalation.

**Reproductive toxicity:** Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

### Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

### Additional ecological information:

### General notes:

Do not allow undiluted or non-neutralised product to reach the sewage system or receiving waters. Do not allow product to reach ground water, bodies of water or sewage system.

### **SECTION 13: Disposal considerations**

### Recommendation

Taken up dry, it can be further used. After admittance of water (item 6) and hardening it can be disposed of as building rubble.

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions. Do not dispose of together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

17 01 01 concrete

### Uncleaned packaging:

### **Recommendation:**

Disposal must be made according to official regulations. Packaging can be reused or recycled after cleaning.

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number ADR, ADN, IMDG, IATA

Void

14.2 UN proper shipping name ADR, ADN, IMDG, IATA

according to 1907/2006/EC, Article 31

Printing date 06.12.2022

Version number 5 (replaces version 4)

Revision: 06.12.2022

(Contd. of page 6)

## Trade name **BETOFIX KFM SONDER**

	(
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	g to Not applicable.
Transport/Additional information:	Not a hazardous good according to the above regulations.
UN "Model Regulation":	Void

**SECTION 15: Regulatory information** 

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

### National regulations

### Other regulations, limitations and prohibition ordinances

Corrosive properties are set free when worked with water; therefore experience is expected of the user and our notes on working are to be observed.

Professional Association Principles/Industrial Medicine regulations, e.g. principles of industrial medicine Occupational Safety Regulations.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information** 

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

### **Relevant phrases**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

Classification according to Regulation (EC) No 1272/2008 Calculation method

**Department issuing data specification sheet:** Product Safety department / EHS **Date of previous version:** 02.04.2020

Version number of previous version: 4

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

Page 8/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 06.12.2022

Version number 5 (replaces version 4)

Revision: 06.12.2022

## Trade name **BETOFIX KFM SONDER**

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 (Contd. of page 7)