

Page 1/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.06.2023

Version number 4 (replaces version 3)

Revision: 19.06.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name AQUA TL-422

Article number: 1240, 1245, 1250

1.2 Relevant identified uses of the substance or mixture and uses advised against Product category PC9a Coatings and paints, thinners, paint removers

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Remmers GmbH Bernhard-Remmers-Str. 13 D-49624 Löningen / Germany Mano Tel.: +49(0)5432/83-0 Fax: +49(0)5432/3985 Information department: Product Safety department: Phone: +44 (0) 1293 594 010 Email: sales@remmers.co.ukk

Remmers (UK) Limited Unit 4 , Lloyds Court Manor Royal, Crawley – West Sussex RH10 9QU fon +44 (0) 1293 594 010 fax +44 (0) 1293 594 037

1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number: within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008 Void
Hazard pictograms Void
Signal word Void
Hazard statements Void
Additional information:
EUH208 Contains 1,2-benzisothiazol-3(2H)-one, adipic acid dihydrazide, reaction mass of 5-chloro-2methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.
EUH210 Safety data sheet available on request.
2.3 Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions.

according to 1907/2006/EC, Article 31

Printing date 19.06.2023

Version number 4 (replaces version 3)

Revision: 19.06.2023

(Contd. of page 1)

Trade name AQUA TL-422

EINECS: 203-905-0 Index number: 603-014-00-0 Acute Tox. 3, H331; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44- XXXX 2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319 ≥0.25-≤0.59 CAS: 1071-93-8 EINECS: 213-999-5 adipic acid dihydrazide Aquatic Chronic 2, H411; Skin Sens. 1, H317 ≥0.25-≤0.59 CAS: 121-44-8 EINECS: 204-469-4 Index number: 612-004-00-5 triethylamine Flam. Liq. 2, H225; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 ≥0.1-≤0.259 CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 triethylamine H2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 ≥0.0015-<0.0 CAS: 55965-84-9 Index number: 613-167-00-5 reaction mass of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl-2H-isothiazol-3- one (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Pey Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 0.0002%	Dangerous components [% w/w	w]:	
EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44- XXXX Eye Irrit. 2, H319 CAS: 1071-93-8 EINECS: 213-999-5 adipic acid dihydrazide Aquatic Chronic 2, H411; Skin Sens. 1, H317 ≥0.25-≤0.55 CAS: 121-44-8 EINECS: 204-469-4 Index number: 612-004-00-5 triethylamine Fiam. Liq. 2, H225; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 ≥0.1-≤0.255 Specific concentration limit: STOT SE 3; H335: C≥ 1 % ≥0.0015-<0.0	EINECS: 203-905-0 Index number: 603-014-00-0	Acute Tox. 3, H331; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg	≥2.5-<5%
EINECS: 213-999-5Aquatic Chronic 2, H411; Skin Sens. 1, H317CAS: 121-44-8triethylamineEINECS: 204-469-4Index number: 612-004-00-5Index number: 612-004-00-5Flam. Liq. 2, H225; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332Specific concentration limit: STOT SE 3; H335: C≥ 1 %CAS: 2634-33-51,2-benzisothiazol-3(2H)-oneEINECS: 220-120-9Index number: 613-088-00-6Index number: 613-088-00-6CAS: 55965-84-9Index number: 613-167-00-5CAS: 55965-84-9Index number: 613-167-00-5Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %CAS: 55965-84-9Index number: 613-167-00-5CAS: 55965-84-9Index number: 613-167-00-5CAS: 55965-84-9Index number: 613-167-00-5Feaction mass of 5-chloro-2- methyl-2H-isothiazol-3- one (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071Specific concentration limits:	EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-		≥0.25-≤0.5%
EINECS: 204-469-4 Index number: 612-004-00-5Flam. Liq. 2, H225; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Specific concentration limit: STOT SE 3; H335: $C \ge 1$ %CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-61,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: $C \ge 0.05$ % $\ge 0.0015 - <0.0$ CAS: 55965-84-9 Index number: 613-167-00-5reaction mass of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl-2H-isothiazol-3- one (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H303; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits:			≥0.25-≤0.5%
EINECS: 220-120-9 Index number: 613-088-00-6Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317:C ≥ 0.05 %0.0002%CAS: 55965-84-9 Index number: 613-167-00-5reaction mass of 5-chloro-2- methyl-2H-isothiazol- 3-one and 2-methyl-2H-isothiazol-3- one (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits:	EINECS: 204-469-4	Flam. Liq. 2, H225; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Specific concentration limit:	≥0.1-≤0.25%
Index number: 613-167-00-5 3-one and 2-methyl-2H-isothiazol-3- one (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits:	EINECS: 220-120-9	Eye Dam. 1, H318; Àquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit:	≥0.0015-<0.05%
Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %		3-one and 2-methyl-2H-isothiazol-3- one (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314:C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %	0.0002%

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If symptoms occur or in case of doubt, seek medical attention. In case of unconsciousness, do not administer anything orally.

After inhalation Seek medical treatment in case of complaints.

After skin contact Do not use solvents or thinners!

After eye contact Rinse opened eye for several minutes under running water.

After swallowing In case of prolonged discomfort, see a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed symptomatic treatment

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

according to 1907/2006/EC, Article 31

Printing date 19.06.2023

Version number 4 (replaces version 3)

Revision: 19.06.2023

Trade name AQUA TL-422

(Contd. of page 2) 5.2 Special hazards arising from the substance or mixture Thick black smoke forms in fires. Inhalation of dangerous decomposition products may cause serious damage to your health. 5.3 Advice for firefighters Protective equipment: No special measures required. Additional information Cool endangered containers with water spray jet. Collect contaminated fire fighting water separately. It must not enter drains.
SECTION 6: Accidental release measures
 6.1 Personal precautions, protective equipment and emergency procedures Keep away from ignition sources Ensure adequate ventilation 6.2 Environmental precautions: Do not allow to enter the ground/soil. Dilute with plenty of water. 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). 6.4 Reference to other sections See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.
SECTION 7: Handling and storage
 7.1 Precautions for safe handling Use only in well ventilated areas. Information about protection against explosions and fires: Fumes can combine with air to form an explosive mixture. 7.2 Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and containers: No special requirements. Further information about storage conditions: Protect from frost.
SECTION 8: Exposure controls/personal protection
8.1 Control parameters
Components with limit values that require monitoring at the workplace:
CAS: 111-76-2 2-butoxyethanol
WEL Short-term value: 246 mg/m ³ , 50 ppm Long-term value: 123 mg/m ³ , 25 ppm Sk, BMGV
CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

CAS: 112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

CAS: 121-44-8 triethylamine

WEL Short-term value: 17 mg/m³, 4 ppm Long-term value: 8 mg/m³, 2 ppm Sk

Ingredients with biological limit values:

CAS: 111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift

Parameter: butoxyacetic acid

Additional information: The lists that were valid during compilation were used as a basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

according to 1907/2006/EC, Article 31

Printing date 19.06.2023

Version number 4 (replaces version 3)

Revision: 19.06.2023

Trade name AQUA TL-422

(Contd. of page 3)

Individual protection measures, such as personal protective equipment General protective and hygienic measures

Do not eat, drink or smoke while working.

Use skin protection cream for preventive skin protection.

Wash hands before pauses and after work.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evalutated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euiqment is not required or the amount of the PPE can be adpated accordingly.

Respiratory equipment:

Only during spraying without adequate removal by suction.

Particle-Filter P2

Hand protection

Impervious gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection if there is a risk of splashes **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties **General Information Physical state** Fluid Colour: clear Odour: Characteristic **Odour threshold:** Not determined. Melting point/freezing point: Not determined Boiling point or initial boiling point and boiling range >70 °C Flammability Not applicable. Lower and upper explosion limit Lower: Not determined. Upper: Not determined. Flash point: Not applicable Ignition temperature: not applicable **Decomposition temperature:** Not determined. pH at 20 °C 8.3 Viscosity: **Kinematic viscosity** Not determined. dynamic at 20 °C: 300 mPas Solubility Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure: Not determined. Density and/or relative density Density at 20 °C: 1.03 g/cm³

Safety data sheet according to 1907/2006/EC, Article 31

according to 1907/2006/EC, Ar

Printing date 19.06.2023

Version number 4 (replaces version 3)

Revision: 19.06.2023

(Contd. of page 4)

Trade name AQUA TL-422

	(Conto. of page 4)
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	
and environment, and on safety.	
Explosive properties:	Product is not explosive.
Solvent separation test	< 3 %
VOC EU	<140 g/l
Change in condition	č
Evaporation rate	Not determined.
Information with regard to physical hazard	
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if handled and stored according to specifications.

10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

At high temperatures, the following may occur: Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:
--

CAS: 111-	-76-2 2-bu	toxyethanol
Oral	LD50	1,200 mg/kg (ATE)
		1,480 mg/kg (rat)
Dermal	LD50	mg/kg (rabbit)
Inhalative	LC50/4 h	1,200 mg/kg (ATE) 1,480 mg/kg (rat) mg/kg (rabbit) 3 mg/l (ATE)

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

according to 1907/2006/EC, Article 31

Printing date 19.06.2023

Version number 4 (replaces version 3)

Revision: 19.06.2023

Trade name AQUA TL-422

(Contd. of page 5)

Serious eye damage/irritation: Based on available data, the classification criteria are not met.
Sensitisation: Based on available data, the classification criteria are not met.
Germ cell mutagenicity: Based on available data, the classification criteria are not met.
Carcinogenicity: Based on available data, the classification criteria are not met.
Reproductive toxicity: Based on available data, the classification criteria are not met.
STOT-single exposure: Based on available data, the classification criteria are not met.
STOT-repeated exposure: Based on available data, the classification criteria are not met.
Aspiration hazard: Based on available data, the classification criteria are not met.

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Do not allow product to reach ground water, bodies of water or sewage system.

SECTION 13: Disposal considerations

Recommendation

Liquid material remains are to be disposed of at collection facilities for old varnishes. The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Packaging can be reused or recycled after cleaning.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	

(Contd. on page 7)

according to 1907/2006/EC, Article 31

Printing date 19.06.2023

Version number 4 (replaces version 3)

Revision: 19.06.2023

(Contd. of page 6)

Trade name AQUA TL-422

	(Conto. of page o)
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	g to Not applicable.
Transport/Additional information:	Not a hazardous good according to the above regulations.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations

Other regulations, limitations and prohibition ordinances

Observe the usual protective measures when working and for storage.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

Relevant phrases

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008 Calculation method

Department issuing data specification sheet: Product Safety department / EHS

Date of previous version: 25.10.2019

Version number of previous version: 3

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

Page 8/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.06.2023

Version number 4 (replaces version 3)

Revision: 19.06.2023

(Contd. of page 7)

Trade name AQUA TL-422

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2