

Page 1/6

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.12.2022

Version number 3 (replaces version 2)

Revision: 07.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name INDULINE IW-130

Article number: 1521

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Remmers GmbH Bernhard-Remmers-Str. 13 D-49624 Löningen / Germany Mano Tel.: +49(0)5432/83-0 Fax: +49(0)5432/3985 Information department: Product Safety department: Phone: +44 (0) 1293 594 010 Email: sales@remmers.co.ukk

Remmers (UK) Limited Unit 4 , Lloyds Court Manor Royal, Crawley – West Sussex RH10 9QU fon +44 (0) 1293 594 010 fax +44 (0) 1293 594 037

1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number: within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the GB CLP regulation.

2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008 Void
Hazard pictograms Void
Signal word Void
Hazard statements Void
Additional information:
EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3- one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.
EUH210 Safety data sheet available on request.
2.3 Other hazards
Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions.

Dangerous components [% w/w]:

| . 9 I r | | |
|----------------------------|-----------------------------------------------------|----------|
| CAS: 34590-94-8 | (2-methoxymethylethoxy)propanol | ≥1-<2.5% |
| EINECS: 252-104-2 | substance with a Community workplace exposure limit | |
| Reg.nr.: 01-2119450011-60- | | |
| XXXX | | |
| | | |

according to 1907/2006/EC, Article 31

Printing date 07.12.2022

Version number 3 (replaces version 2)

Revision: 07.12.2022

Trade name INDULINE IW-130

| | (Cc | ntd. of page 1) |
|-------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| CAS: 2634-33-5 | 1,2-benzisothiazol-3(2H)-one | 0.03% |
| EINECS: 220-120-9 Index number: 613-088-00-6 | Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 % | |
| CAS: 55965-84-9 Index number: 613-167-00-5 | reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) | 0.001% |
| Reg.nr.: 01-2120764691-48- XXXX | Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 % | |

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

After inhalation Seek medical treatment in case of complaints.

After skin contact If skin irritation continues, consult a doctor.

After eye contact Rinse opened eye for several minutes under running water.

After swallowing Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

6.2 Environmental precautions: Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

No special measures required.

No special precautions necessary if used correctly.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and containers: No special requirements. Further information about storage conditions: None.

(Contd. on page 3)

according to 1907/2006/EC, Article 31 Version number 3 (replaces version 2)

Printing date 07.12.2022

Revision: 07.12.2022

Trade name INDULINE IW-130

(Contd. of page 2)

| 8 1 Control parameters | |
|---------------------------------------------|--------|
| SECTION 8: Exposure controls/personal prote | ection |

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

CAS: 34590-94-8 (2-methoxymethylethoxy)propanol

WEL Long-term value: 308 mg/m³, 50 ppm Sk

Additional information: The lists that were valid during compilation were used as a basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Wash hands before pauses and after work.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evalutated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euiqment is not required or the amount of the PPE can be adpated accordingly.

Respiratory equipment: not required.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Break through time: max. 240 min (DIN EN 374).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Safety glasses recommended during refilling.

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical and chemical properties General Information | | |
|----------------------------------------------------------------------------------|----------------------------------------------------|--|
| | | |
| Physical state | Fluid | |
| Colour: | Whitish | |
| Odour: | Characteristic | |
| Odour threshold: | Not determined. | |
| Melting point/freezing point: | Not determined | |
| Boiling point or initial boiling point and boiling | Boiling point or initial boiling point and boiling | |
| range | 100 °C (CAS: 7732-18-5 Water) | |
| Flammability | Not applicable. | |
| Lower and upper explosion limit | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Flash point: | >100 °C | |
| Ignition temperature: | not applicable | |
| Decomposition temperature: | Not determined. | |
| рН | Not determined. | |
| Viscosity: | | |
| Kinematic viscosity at 20 °C | 24.7 s (ISO 3 mm) | |
| dynamic: | Not determined. | |
| Solubility | | |
| Water: | Fully miscible | |

according to 1907/2006/EC, Article 31

Printing date 07.12.2022

Version number 3 (replaces version 2)

Revision: 07.12.2022

(Contd. of page 3)

Trade name INDULINE IW-130

| Partition coefficient n-octanol/water (log value)Not determined.Vapour pressure at 20 °C:23 hPa (CAS: 7732-18-5 Water)Density at 20 °C:1.005 g/cm³Relative densityNot determined.Vapour densityNot determined.Vapour densityNot determined.9.2 Other informationFluidAppearance:FluidForm:FluidImportant information on protection of health and environment, and on safety.Explosive properties:Product is not explosive.Solvent separation test< 3 %Organic solvents:1.5 %VOC EUVOCSolid content:13.1 %Change in conditionExplosivesExplosivesVoidFlammable gasesVoidAerosolsVoidGases under pressureVoidFlammable gasesVoidFlammable solidsVoidFlammable solidsVoidProphoric solidsVoidProphoric solidsVoidProphoric solidsVoidPyrophoric solidsVoidPyrophoric solidsVoidSubstances and mixturesVoidPyrophoric solidsVoidOrdising liquidsVoidOxidising solidsVoidOxidising liquidsVoidOxidising liquidsVoidOxidising solidsVoidOxidising liquidsVoidOxidising liquidsVoidOxidising liquidsVoidOxidising liquidsVoid< | | (Conta. of page 3) |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|--------------------------|
| Vapour pressure at 20 °C:23 hPa (CAS: 7732-18-5 Water)Density and/or relative density1.005 g/cm³Belative densityNot determined.Vapour densityNot determined.9.2 Other informationAppearance:Form:FluidImportant information on protection of healthand environment, and on safety.Explosive properties:Product is not explosive.Solvent separation test< 3 %Organic solvents:1.5 %VOC EUSolid content:13.1 %Change in conditionExplosivesVoidExplosivesVoidGassesVoidAerosolsVoidFlammable gasesVoidSelf-reactive substances and mixturesVoidSelf-reactive substances and mixturesVoidPyrophoric solidsVoidSelf-reactive substances and mixturesVoidSubstances and mixturesVoidOxidising gases in contact with waterVoidOxidising solidsVoidOxidising solidsVoid <th>Partition coefficient n-octanol/water (log value</th> <th>) Not determined.</th> | Partition coefficient n-octanol/water (log value |) Not determined. |
| Density at 20 °C: 1.005 g/cm³ Relative density Not determined. Vapour density Not determined. 9.2 Other information Appearance: Form: Fluid Important information on protection of health and environment, and on safety. Fuid Explosive properties: Product is not explosive. Solvent separation test < 3 % Organic solvents: 1.5 % VOC EU Solid content: Solid content: 13.1 % Change in condition Explosives Explosives Void Flammable gases Void Aerosols Void Gases under pressure Void Flammable liquids Void Pyrophoric liquids Void Pyrophoric solids Void Pyrophoric solids Void Self-neating substances and mixtures Void Pyrophoric solids Void Oxidising substances and mixtures Void Self-heating substances and mixtures Void Substances and mixtures, which emit Flammable gases in contact with water | | |
| Relative density Not determined. Vapour density Not determined. 9.2 Other information Appearance: Form: Fluid Important information on protection of health and environment, and on safety. Fluid Explosive properties: Product is not explosive. Solvent separation test < 3 % Organic solvents: 1.5 % VOC EU U Solid content: 13.1 % Change in condition Evaporation rate Evaporation rate Not determined. Information with regard to physical hazard classes Explosives Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Self-reactive substances and mixtures Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit T flammable gases in contact with water Void Oxidising solids Void Substances and mixtures, which emit Void | Density and/or relative density | |
| Relative density Not determined. Vapour density Not determined. 9.2 Other information Appearance: Form: Fluid Important information on protection of health and environment, and on safety. Fluid Explosive properties: Product is not explosive. Solvent separation test < 3 % Organic solvents: 1.5 % VOC EU U Solid content: 13.1 % Change in condition Evaporation rate Evaporation rate Void Explosives Void Information with regard to physical hazard Classes Explosives Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Pyrophoric liquids Void Pyrophoric solids Void Self-neating substances and mixtures Void Substances and mixtures, which emit T flammable gases in contact with water Void Oxidising solids Void Substances and mixtures, which emit | Density at 20 °C: | 1.005 g/cm ³ |
| 9.2 Other information Appearance: Form: Fluid Important information on protection of health and environment, and on safety. Frequencial Statement Stateme | | |
| Appearance: Fuid Form: Fluid Important information on protection of health and environment, and on safety. Product is not explosive. Explosive properties: Product is not explosive. Solvent separation test < 3 % Organic solvents: 1.5 % VOC EU Solid content: 13.1 % Change in condition Explosives Void Information with regard to physical hazard classes Explosives Void Flammable gases Void Aerosols Void Oxidising gases Void Flammable liquids Void Flammable liquids Void Pyrophoric liquids Void Pyrophoric solids Void Self-neating substances and mixtures Void Substances and mixtures Void Substances and mixtures Void Oxidising liquids Void Oxidising solids Void Oxidising liquids Void Oxidising liquids Void | Vapour density | Not determined. |
| Appearance: Fuid Form: Fluid Important information on protection of health and environment, and on safety. Product is not explosive. Explosive properties: Product is not explosive. Solvent separation test < 3 % Organic solvents: 1.5 % VOC EU Solid content: 13.1 % Change in condition Explosives Void Information with regard to physical hazard classes Void Explosives Void Flammable gases Void Aerosols Void Oxidising gases Void Flammable liquids Void Flammable liquids Void Pyrophoric liquids Void Pyrophoric solids Void Self-neating substances and mixtures Void Substances and mixtures, which emit Tharmable gases in contact with water Void Void Oxidising liquids Void Oxidising solids Void Oxidising solids Void Oxidising solids | 9.2 Other information | |
| Form:FluidImportant information on protection of health and environment, and on safety.Froduct is not explosive.Explosive properties:Product is not explosive.Solvent separation test< 3 %Organic solvents:1.5 %VOC EUToSolid content:13.1 %Change in conditionNot determined.Evaporation rateNot determined.Information with regard to physical hazardclassesExplosivesVoidFlammable gasesVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidSelf-heating substances and mixturesVoidOxidising liquidsVoidOxidising solidsVoidOxidising solids | | |
| Important information on protection of health and environment, and on safety.Explosive properties:Product is not explosive.Solvent separation test< 3 %Organic solvents:1.5 %VOC EUVOC EUSolid content:13.1 %Change in conditionEvaporation rateEvaporation rateNot determined.Information with regard to physical hazard classesVoidExplosivesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable goidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidOxidising gases in contact with waterVoidOxidising solidsVoidOxidising solidsVoid< | | Fluid |
| and environment, and on safety.Explosive properties:Product is not explosive.Solvent separation test< 3 %Organic solvents:1.5 %VOC EUInformation with regard to physical hazardClassesVoidExplosivesVoidFlammable gasesVoidAerosolsVoidGases under pressureVoidFlammable solidsVoidFlammable solidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidSelf-heating substances and mixturesVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOrganic peroxidesVoidOrganic peroxidesVoidOrganic peroxidesVoidOrganic peroxidesVoidOrganic peroxidesVoidOrganic peroxidesVoidOrganic peroxidesVoidOrganic peroxidesVoidOrganic peroxidesVoidOrganic peroxides </th <th>-</th> <th></th> | - | |
| Explosive properties:Product is not explosive.Solvent separation test< 3 %Organic solvents:1.5 %VOC EUSolid content:Solid content:13.1 %Change in conditionEvaporation rateEvaporation rateNot determined.Information with regard to physical hazard classesClassesExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising fuquidsVoidOxidising solidsVoidOxidising bolidsVoidOxidising bolidsVoidOxidising bolidsVoidOxidising bolidsVoidOxidising bolidsVoidOxidising bolidsVoidOxidising bolidsVoidOxidising bolidsVoidO | | |
| Solvent separation test < 3 % Organic solvents: 1.5 % VOC EU 3.1 % Solid content: 13.1 % Change in condition Evaporation rate Information with regard to physical hazard classes Explosives Void Flammable gases Void Aerosols Void Oxidising gases Void Flammable liquids Void Flammable solids Void Flammable solids Void Flammable solids Void Self-reactive substances and mixtures Void Self-heating substances and mixtures Void Substances and mixtures, which emit Flammable gases in contact with water Void Void Substances and mixtures, which emit flammable gases in contact with water Void Void Oxidising liquids Void Oxidising solids Void Oxidising liquids Void Oxidising solids Void Oxidising voids Void | | Product is not explosive |
| Organic solvents:1.5 %VOC EU13.1 %Solid content:13.1 %Change in conditionnot determined.Evaporation rateNot determined.Information with regard to physical hazard classesSolidExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable iquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric solidsVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOrganic peroxidesVoidOrganic peroxidesVoidOrganic peroxidesVoidOrganic peroxidesVoidOriganic peroxidesVoid | | • |
| VOC EUSolid content:13.1 %Change in condition | | |
| Solid content:13.1 %Change in conditionNot determined.Evaporation rateNot determined.Information with regard to physical hazard classesVoidExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidSelf-heating substances and mixturesVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidOrganic peroxidesVoidVoidVoid | | |
| Change in conditionEvaporation rateNot determined.Information with regard to physical hazardclassesExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidSelf-heating substances and mixturesVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOrganic peroxidesVoidOrganic peroxidesVoidCorrosive to metalsVoid | | 13.1 % |
| Evaporation rateNot determined.Information with regard to physical hazard classesVoidExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidSelf-heating substances and mixturesVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising liquidsVoidOxidising liquidsVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoid <th></th> <th></th> | | |
| Information with regard to physical hazard classesExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidSelf-heating substances and mixturesVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoid | | Not determined. |
| classesExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoidOrganic peroxidesVoidVoidVoid | | |
| ExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoid | * | |
| Flammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoid | | |
| AerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidSubstances and mixtures, which emitTflammable gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidVoidVoid | | |
| Oxidising gasesVoidGases under pressureVoidFlammable liquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixtures, which emitIflammable gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoid | | |
| Gases under pressureVoidFlammable liquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixtures, which emitVoidflammable gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidVoidVoid | | |
| Flammable liquidsVoidFlammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixtures, which emitVoidflammable gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoid | | |
| Flammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixtures, which emitVoidflammable gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidVoidVoidVoidVoidVoidVoidOrrosive to metalsVoid | | |
| Self-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixtures, which emitImage: Substances and mixturesflammable gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoid | | |
| Pyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixtures, which emitVoidflammable gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoid | | |
| Pyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixtures, which emitImage: Substances and mixtures, which emitflammable gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoid | | |
| Self-heating substances and mixturesVoidSubstances and mixtures, which emitVoidflammable gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoid | | |
| Substances and mixtures, which emitflammable gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoid | | |
| flammable gases in contact with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoid | | ¥ Olu |
| Oxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoid | | Void |
| Oxidising solidsVoidOrganic peroxidesVoidCorrosive to metalsVoid | | |
| Organic peroxidesVoidCorrosive to metalsVoid | | |
| Corrosive to metals Void | | |
| | | |
| | | |
| | | |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification: No further relevant information available. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met. Sensitisation: Based on available data, the classification criteria are not met. Germ cell mutagenicity: Based on available data, the classification criteria are not met.

(Contd. on page 5)

according to 1907/2006/EC, Article 31

Printing date 07.12.2022

Version number 3 (replaces version 2)

Revision: 07.12.2022

Trade name INDULINE IW-130

(Contd. of page 4)

Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met. 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes: Do not allow product to reach ground water, bodies of water or sewage system.

SECTION 13: Disposal considerations

Recommendation

Do not dispose of together with household garbage. Do not allow product to reach sewage system. The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

European waste catalogue

08 01 19* aqueous suspensions containing paint or varnish containing organic solvents or other hazardous substances

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Packaging can be reused or recycled after cleaning.

Recommended cleaning agent: Water, if necessary with cleaning agent.

| SECTION 14: Transport information | |
|--------------------------------------------------------------|-----------------------|
| 14.1 UN number or ID number ADR, IMDG, IATA | Void |
| 14.2 UN proper shipping name ADR, IMDG, IATA | Void |
| 14.3 Transport hazard class(es) | |
| ADR, ADN, IMDG, IATA Class | Void |
| | |
| 14.4 Packing group ADR, IMDG, IATA | Void |
| 14.5 Environmental hazards: | Not applicable. |
| 14.6 Special precautions for user | Not applicable. |
| 14.7 Maritime transport in bulk according IMO instruments | to Not applicable. |

(Contd. on page 6)

according to 1907/2006/EC, Article 31

Printing date 07.12.2022

Version number 3 (replaces version 2)

Revision: 07.12.2022

Trade name INDULINE IW-130

(Contd. of page 5)

UN "Model Regulation":

Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H400 Very toxic to aquatic life.
- Very toxic to aquatic life with long lasting effects. H410

EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008 Calculation method

Department issuing data specification sheet: Product Safety department / EHS

Date of previous version: 06.07.2022

Version number of previous version: 2

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1