

Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 07.12.2022 Version number 9 (replaces version 8) Revision: 07.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Adolit M Liquide

Article number: 2100

1.2 Relevant identified uses of the substance or mixture and uses advised against

Technical function Impregnation agent

Application of the substance / the mixture Wood preservatives

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Remmers GmbH Bernhard-Remmers-Str. 13 D-49624 Löningen / Germany Manor Royal, Crawley - West Sussex RH10 9QU Tel.: +49(0)5432/83-0

fon +44 (0) 1293 594 010 fax +44 (0) 1293 594 037

Remmers (UK) Limited

Unit 4 Lloyds Court

Information department:

Fax: +49(0)5432/3985

Product Safety department: Phone: +44 (0) 1293 594 010

Email: sales@remmers.co.ukk

1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number:

within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Causes skin irritation. Skin Irrit. 2 H315

Eye Dam. 1 H318 Causes serious eye damage.

Repr. 1B H360FD May damage fertility. May damage the unborn child.

STOT SE 3 May cause respiratory irritation. H335

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms









GHS05 GHS07 GHS08 GHS09

Signal word Danger

Hazard-determining components of labelling:

2-aminoethanol boric acid

alkyl (C12-16) dimethylbenzyl ammonium chloride

(Contd. on page 2)

Printing date 07.12.2022 Version number 9 (replaces version 8) Revision: 07.12.2022

Trade name Adolit M Liquide

(Contd. of page 1)

amines, coco alkyl, ethoxylated

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H360FD May damage fertility. May damage the unborn child.

H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

Additional information:

Restricted to professional users.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions.

Dangerous components [% w/w]:		
CAS: 10043-35-3 EINECS: 233-139-2 Index number: 005-007-00-2 Reg.nr.: 01-2119486683-25- XXXX	boric acid Repr. 1B, H360FD	≥40-<50%
CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8 Reg.nr.: 01-2119486455-28- XXXX	2-aminoethanol Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335; Aquatic Chronic 3, H412 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	≥10-<20%
CAS: 68424-85-1 EINECS: 270-325-2 Reg.nr.: 01-2119965180-41- XXXX	alkyl (C12-16) dimethylbenzyl ammonium chloride Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	≥5-<10%
CAS: 61791-14-8 NLP: 500-152-2	amines, coco alkyl, ethoxylated Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315	≥5-<10%
SVHC		

CAS: 10043-35-3 boric acid

Regulation (EC) No 648/2004 on detergents / Labelling for contents	
cationic surfactants	≥5 - <15%

Additional information For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

Version number 9 (replaces version 8) Printing date 07.12.2022 Revision: 07.12.2022

Trade name Adolit M Liquide

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If symptoms occur or in case of doubt, seek medical attention. In case of unconsciousness, do not administer anything orally.

Immediately remove any clothing soiled by the product.

After inhalation In case of unconsciousness bring patient into stable side position for transport.

After skin contact

Call a doctor immediately.

Wash immediately with water and soap and rinse thoroughly.

After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

After swallowing Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

symptomatic treatment

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

May be released in case of fire

Carbon monoxide (CO)

Carbon dioxide

Nitrogen oxides (NOx)

Hydrogen chloride (HCI)

Under certain fire conditions, traces of other toxic substances cannot be excluded.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to enter the ground/soil.

Do not allow product to reach sewage system or water bodies.

Inform responsible authorities in case product reaches bodies of water or sewage system.

Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well ventilated areas.

Open and handle container with care.

Information about protection against explosions and fires: Keep breathing equipment ready.

(Contd. on page 4)

Printing date 07.12.2022

Version number 9 (replaces version 8)

Trade name Adolit M Liquide

(Contd. of page 3)

Revision: 07.12.2022

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and containers:

Store only in unopened original containers.

Ventilate storage and work rooms sufficiently.

Information on storage in a common storage facility: none

Further information about storage conditions:

Store container in a well ventilated position.

Protect from frost.

Store cool.

Keep container tightly closed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with limit values that require monitoring at the workplace: CAS: 141-43-5 2-aminoethanol WEL Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Sk

Additional information: The lists that were valid during compilation were used as a basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures

Do not eat, drink or smoke while working.

Use skin protection cream for preventive skin protection.

Keep away from food, beverages and animal feed.

Immediately remove soiled, saturated clothing.

Wash hands before pauses and after work.

Store protective clothing separately.

Avoid contact with eyes and skin.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evalutated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euiqment is not required or the amount of the PPE can be adpated accordingly.

Respiratory equipment:

In case vapours/aerosols develop:

Particle-Filter P2

In case of brief exposure or low pollution load, use respiratory protection equipment with filter. In case of intensive or longer exposure, use self-contained respiratory protection equipment.

Hand protection

Impervious gloves

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 5)

Printing date 07.12.2022 Version number 9 (replaces version 8) Revision: 07.12.2022

Trade name Adolit M Liquide

(Contd. of page 4)

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Tightly sealed safety glasses.

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

0.1 Information on basis abvaical and ab	amical properties	
9.1 Information on basic physical and che	emicai properties	
General Information		
Physical state	Fluid	
Colour:	Light yellow	
Odour:	Odourless	
Odour threshold:	Not determined.	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and b	oiling	
range	100 °C	
Flammability	Not applicable.	
Lower and upper explosion limit		

Not determined. Lower: **Upper:** Not determined. Flash point: >100 °C Ignition temperature: not applicable **Decomposition temperature:** Not determined.

pH at 20 °C 7-8

Viscosity:

Kinematic viscosity at 20 °C 26 s (DIN 53211/4) dynamic: Not determined.

Solubility

Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 23 hPa

Density and/or relative density

Density at 20 °C: 1.25 g/cm³ Relative density Not determined. Vapour density Not determined.

9.2 Other information

Appearance:

Fluid Form:

Important information on protection of health

and environment, and on safety.

Explosive properties: Product is not explosive.

Void

Solvent separation test < 3 %

VOC EU

Solid content: ca. 48.5 %

Change in condition

Pyrophoric solids

Evaporation rate Not determined.

Information with regard to physical hazard

classes **Explosives** Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 9 (replaces version 8) Printing date 07.12.2022 Revision: 07.12.2022

Trade name Adolit M Liquide

(Contd. of page 5)

Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if handled and stored according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

May be released in fire:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx) Hydrogen chloride (HCI)

Nitrous vitriol gases

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC5	LD/LC50 values that are relevant for classification:	
CAS: 10	CAS: 10043-35-3 boric acid	
Oral	LD50	2,660 mg/kg (rat)
CAS: 14	CAS: 141-43-5 2-aminoethanol	
Oral	LD50	2,050 mg/kg (rat)
Dermal	LD50	1,000 mg/kg (rabbit)

Skin corrosion/irritation: Causes skin irritation.

Serious eve damage/irritation: Causes serious eve damage.

Sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: May damage fertility. May damage the unborn child.

STOT-single exposure: May cause respiratory irritation.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

(Contd. on page 7)

Printing date 07.12.2022 Version number 9 (replaces version 8)

(Contd. of page 6)

Revision: 07.12.2022

Trade name Adolit M Liquide

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Additional ecological information:

General notes:

Do not allow product to reach ground water, bodies of water or sewage system.

Hazardous to drinking water even if small quantities leak into soil.

Also toxic for fish and plankton in bodies of water.

SECTION 13: Disposal considerations

Recommendation

Must be specially treated in compliance with official regulations.

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

European waste catalogue

03 02 99 wood preservatives not otherwise specified

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Packaging can be reused or recycled after cleaning.

Recommended cleaning agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA	UN1760
14.2 UN proper shipping name	
ADR	1760 CORROSIVE LIQUID, N.O.S. (alkyl (C12-16) dimethylbenzyl ammonium chloride)
IMDG	CORRÓSIVÉ LIQUID, N.O.S. (alkyl (C12-16) dimethylbenzyl ammonium chloride, amines, coco
IATA	alkyl, ethoxylated), MARINE POLLUTANT CORROSIVE LIQUID, N.O.S. (alkyl (C12-16) dimethylbenzyl ammonium chloride)

14.3 Transport hazard class(es)

ADR



Class 8 (C9) Corrosive substances. Label 8

IMDG



Class 8 Corrosive substances. Label 8

IATA



Class 8 Corrosive substances.

(Contd. on page 8)

Printing date 07.12.2022 Version nu

Version number 9 (replaces version 8) Revision: 07.12.2022

Trade name Adolit M Liquide

(Contd. of page 7)

Label	8
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	Product contains environmentally hazardous substances: alkyl (C12-16) dimethylbenzyl ammonium chloride Yes
	Symbol (fish and tree)
14.6 Special precautions for user hazard identification number: EMS Number: Stowage Category	Warning: Corrosive substances. 80 F-A,S-B A
Stowage Code	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according IMO instruments	to Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
Transport category Tunnel restriction code	3 E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (ALKYL (C12- 16) DIMETHYLBENZYL AMMONIUM CHLORIDE), 8, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E1 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 30

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations

Other regulations, limitations and prohibition ordinances

Do not use on masonry work that could come in direct contact with food and animal feed.

Only for use in specialist firms. Render or other facing material must be applied to treated masonry

(Contd. on page 9)

Printing date 07.12.2022

Version number 9 (replaces version 8) Revision: 07.12.2022

Trade name Adolit M Liquide

(Contd. of page 8)

work on the side towards living spaces and rooms where people gather. Agents for controlling fungus in masonry work contain biocidal ingredients. They should only be used according to directions and only in the areas approved for application. Misuse may harm your health and the environment.

Substances of very high concern (SVHC) according to UK REACH

CAS: 10043-35-3 boric acid

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

Causes serious eye damage. H318

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H360FD May damage fertility. May damage the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008 Calculation method

Department issuing data specification sheet: Product Safety department / EHS

Date of previous version: 22.11.2022 Version number of previous version: 8

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Repr. 1B: Reproductive toxicity - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3