

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.09.2023

Version number 7 (replaces version 6)

Revision: 18.09.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **ADOLIT BQ 30**

Article number: 2565-68

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Product category PC8 Biocidal products

Application of the substance / the mixture Wood preservatives

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

Remmers GmbH

Bernhard-Remmers-Str. 13  
D-49624 Lönningen / Germany

Tel.: +49(0)5432/83-0

Fax: +49(0)5432/3985

Remmers (UK) Limited  
Unit 4 , Lloyds Court  
Manor Royal, Crawley – West Sussex RH10 9QU  
fon +44 (0) 1293 594 010  
fax +44 (0) 1293 594 037

##### Information department:

Product Safety department: Phone: +44 (0) 1293 594 010

Email: sales@remmers.co.ukk

#### 1.4 Emergency telephone number:

National Poisons Information Service (NPIS):

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number:

within USA and Canada: 1-800-424-9300

outside USA and Canada: 001-703-527-3887

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2	H315	Causes skin irritation.
Eye Dam. 1	H318	Causes serious eye damage.
Repr. 1B	H360FD	May damage fertility. May damage the unborn child.
STOT SE 3	H335	May cause respiratory irritation.
Aquatic Chronic 1	H410	Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

##### Hazard pictograms



GHS05 GHS07 GHS08 GHS09

Signal word Danger

##### Hazard-determining components of labelling:

2-aminoethanol

boric acid

(Contd. on page 2)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.09.2023

Version number 7 (replaces version 6)

Revision: 18.09.2023

## Trade name **ADOLIT BQ 30**

(Contd. of page 1)

alkyl (C12-16) dimethylbenzyl ammonium chloride  
amines, coco alkyl, ethoxylated

### Hazard statements

- H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H360FD May damage fertility. May damage the unborn child.  
H335 May cause respiratory irritation.  
H410 Very toxic to aquatic life with long lasting effects.

### Precautionary statements

- P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### Additional information:

Restricted to professional users.

### 2.3 Other hazards

### Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Description: Mixture of the substances listed below with harmless additions.

Dangerous components [% w/w]:		
CAS: 10043-35-3 EINECS: 233-139-2 Index number: 005-007-00-2 Reg.nr.: 01-2119486683-25-XXXX	boric acid ----- Repr. 1B, H360FD	≥20-<30%
CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8 Reg.nr.: 01-2119486455-28-XXXX	2-aminoethanol ----- Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335; Aquatic Chronic 3, H412 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	≥5-<10%
CAS: 68424-85-1 EINECS: 270-325-2 Reg.nr.: 01-2119965180-41-XXXX	alkyl (C12-16) dimethylbenzyl ammonium chloride ----- Met. Corr. 1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302	≥5-<10%
CAS: 61791-14-8 NLP: 500-152-2	amines, coco alkyl, ethoxylated ----- Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315	≥3-<5%

### SVHC

CAS: 10043-35-3 | boric acid

### Regulation (EC) No 648/2004 on detergents / Labelling for contents

cationic surfactants ≥5 - <15%

Additional information For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.09.2023

Version number 7 (replaces version 6)

Revision: 18.09.2023

Trade name **ADOLIT BQ 30**

(Contd. of page 2)

## \* SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

If symptoms occur or in case of doubt, seek medical attention. In case of unconsciousness, do not administer anything orally.

Immediately remove any clothing soiled by the product.

**After inhalation** In case of unconsciousness bring patient into stable side position for transport.

#### After skin contact

Call a doctor immediately.

Wash immediately with water and soap and rinse thoroughly.

**After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.

**After swallowing** Call a doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

symptomatic treatment

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing agents

Fire-extinguishing powder

Use fire fighting measures that suit the environment.

### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

### 5.3 Advice for firefighters

#### Protective equipment:

Wear self-contained breathing apparatus.

Body protection

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

### 6.2 Environmental precautions:

Do not allow to enter the ground/soil.

Do not allow product to reach sewage system or water bodies.

Inform responsible authorities in case product reaches bodies of water or sewage system.

Dilute with plenty of water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Use only in well ventilated areas.

Open and handle container with care.

**Information about protection against explosions and fires:** Keep breathing equipment ready.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

#### Requirements to be met by storerooms and containers:

Store only in unopened original containers.

Ventilate storage and work rooms sufficiently.

(Contd. on page 4)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.09.2023

Version number 7 (replaces version 6)

Revision: 18.09.2023

Trade name **ADOLIT BQ 30**

(Contd. of page 3)

**Information on storage in a common storage facility:** none**Further information about storage conditions:**

Protect from frost.

Keep container tightly closed.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

<b>Components with limit values that require monitoring at the workplace:</b>	
<b>CAS: 141-43-5 2-aminoethanol</b>	
WEL	Short-term value: 7.6 mg/m <sup>3</sup> , 3 ppm
	Long-term value: 2.5 mg/m <sup>3</sup> , 1 ppm
	Sk

**Additional information:** The lists that were valid during compilation were used as a basis.

### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see item 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures**

Do not eat, drink or smoke while working.

Use skin protection cream for preventive skin protection.

Keep away from food, beverages and animal feed.

Immediately remove soiled, saturated clothing.

Wash hands before pauses and after work.

Store protective clothing separately.

Avoid contact with eyes and skin.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evaluated by the employer depending on the types of operations and the local circumstances. If a risk assessment on-site shows that there is no risk for employees, the personal protective equipment is not required or the amount of the PPE can be adapted accordingly.

**Respiratory equipment:**

Use respiratory protection only when aerosol or mist is formed.

Filter A/P2.

In case of brief exposure or low pollution load, use respiratory protection equipment with filter. In case of intensive or longer exposure, use self-contained respiratory protection equipment.

**Hand protection**

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

Chloroprene rubber, CR

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Penetration time of glove material**

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Tightly sealed safety glasses.**Body protection:** Protective work clothing.

(Contd. on page 5)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.09.2023

Version number 7 (replaces version 6)

Revision: 18.09.2023

Trade name **ADOLIT BQ 30**

(Contd. of page 4)

## \* SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

<b>Physical state</b>	Fluid
<b>Colour:</b>	According to product specification
<b>Odour:</b>	Weak, characteristic
<b>Odour threshold:</b>	Not determined.
<b>Melting point/freezing point:</b>	Not determined
<b>Boiling point or initial boiling point and boiling range</b>	Not determined
<b>Flammability</b>	Not applicable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	>100 °C
<b>Ignition temperature:</b>	not applicable
<b>Decomposition temperature:</b>	Not determined.
<b>pH at 20 °C</b>	7.6
<b>Viscosity:</b>	
<b>Kinematic viscosity at 20 °C dynamic:</b>	11.5 s (DIN 53211/4) Not determined.
<b>Solubility</b>	
<b>Water:</b>	Fully miscible
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure at 20 °C:</b>	23 hPa
<b>Density and/or relative density</b>	
<b>Density at 20 °C:</b>	1.15 g/cm <sup>3</sup>
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not determined.

### 9.2 Other information

<b>Appearance:</b>	
<b>Form:</b>	Fluid
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Explosive properties:</b>	Product is not explosive.
<b>Solvent separation test</b>	< 3 %
<b>Organic solvents:</b>	8.0 %
<b>VOC EU</b>	
<b>Solid content:</b>	34.7 %
<b>Change in condition</b>	
<b>Evaporation rate</b>	Not determined.

### Information with regard to physical hazard classes

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void

(Contd. on page 6)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.09.2023

Version number 7 (replaces version 6)

Revision: 18.09.2023

Trade name **ADOLIT BQ 30**

(Contd. of page 5)

<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

## SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

### 10.2 Chemical stability

#### Thermal decomposition / conditions to be avoided:

No decomposition if handled and stored according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

#### 10.6 Hazardous decomposition products:

None if used properly.

None if stored properly.

## \* SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

**Acute toxicity:** Based on available data, the classification criteria are not met.

#### LD/LC50 values that are relevant for classification:

**CAS: 10043-35-3 boric acid**

Oral	LD50	2,660 mg/kg (rat)
------	------	-------------------

**Skin corrosion/irritation:** Causes skin irritation.

**Serious eye damage/irritation:** Causes serious eye damage.

**Sensitisation:** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

**Carcinogenicity:** Based on available data, the classification criteria are not met.

**Reproductive toxicity:** May damage fertility. May damage the unborn child.

**STOT-single exposure:** May cause respiratory irritation.

**STOT-repeated exposure:** Based on available data, the classification criteria are not met.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

None of the ingredients is listed.

## \* SECTION 12: Ecological information

### 12.1 Toxicity

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

### 12.7 Other adverse effects

#### Additional ecological information:

#### General notes:

Do not allow undiluted or non-neutralised product to reach the sewage system or receiving waters.

Do not allow product to reach ground water, bodies of water or sewage system.

Hazardous to drinking water even if small quantities leak into soil.

Also toxic for fish and plankton in bodies of water.

(Contd. on page 7)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.09.2023

Version number 7 (replaces version 6)

Revision: 18.09.2023

Trade name **ADOLIT BQ 30**

(Contd. of page 6)

## SECTION 13: Disposal considerations

**Recommendation**

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions. Do not dispose of together with household garbage. Do not allow product to reach sewage system.

**European waste catalogue**

03 02 99 | wood preservatives not otherwise specified




**Uncleaned packaging:****Recommendation:**

Disposal must be made according to official regulations.

Packaging can be reused or recycled after cleaning.

**Recommended cleaning agent:** Water, if necessary with cleaning agent.

## \* SECTION 14: Transport information

<b>14.1 UN number or ID number</b>	
<b>ADR, IMDG, IATA</b>	UN1760
<b>14.2 UN proper shipping name</b>	
<b>ADR</b>	1760 CORROSIVE LIQUID, N.O.S. (alkyl (C12-16) dimethylbenzyl ammonium chloride)
<b>IMDG</b>	CORROSIVE LIQUID, N.O.S. (alkyl (C12-16) dimethylbenzyl ammonium chloride), MARINE POLLUTANT
<b>IATA</b>	CORROSIVE LIQUID, N.O.S. (alkyl (C12-16) dimethylbenzyl ammonium chloride)
<b>14.3 Transport hazard class(es)</b>	
<b>ADR</b>	
	
<b>Class</b>	8 (C9) Corrosive substances.
<b>Label</b>	8
<b>IMDG</b>	
	
<b>Class</b>	8 Corrosive substances.
<b>Label</b>	8
<b>IATA</b>	
	
<b>Class</b>	8 Corrosive substances.
<b>Label</b>	8
<b>14.4 Packing group</b>	
<b>ADR, IMDG, IATA</b>	III
<b>14.5 Environmental hazards:</b>	Product contains environmentally hazardous substances: alkyl (C12-16) dimethylbenzyl ammonium chloride

(Contd. on page 8)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.09.2023

Version number 7 (replaces version 6)

Revision: 18.09.2023

Trade name **ADOLIT BQ 30**

(Contd. of page 7)

<b>Marine pollutant:</b>	Yes Symbol (fish and tree)
<b>14.6 Special precautions for user hazard identification number:</b>	Warning: Corrosive substances. 80
<b>EMS Number:</b>	F-A,S-B
<b>Stowage Category</b>	A
<b>Stowage Code</b>	SW2 Clear of living quarters.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>Transport/Additional information:</b>	
<b>ADR</b>	
<b>Limited quantities (LQ)</b>	5L
<b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>Transport category</b>	3
<b>Tunnel restriction code</b>	E
<b>IMDG</b>	
<b>Limited quantities (LQ)</b>	5L
<b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>UN "Model Regulation":</b>	UN 1760 CORROSIVE LIQUID, N.O.S. (ALKYL (C12-16) DIMETHYLBENZYL AMMONIUM CHLORIDE), 8, III

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Directive 2012/18/EU

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**Seveso category** E1 Hazardous to the Aquatic Environment

**Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t

**Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 30

#### **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

#### **REGULATION (EU) 2019/1148**

#### **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

#### **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

#### **National regulations**

#### **Other regulations, limitations and prohibition ordinances**

Wood preservatives contains biocidal ingredients to protect wood from pests. They should be used only according to directions and only in the approved application areas where protection measures are required. Misuse may harm your health and the environment. Do not use this wood preservative on wood that could come in direct contact with food or animal feed.

Only for use in professional facilities.

Do not use on large surfaces in interior rooms except if such treatment is necessary from the building technical point of view.

(Contd. on page 9)



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.09.2023

Version number 7 (replaces version 6)

Revision: 18.09.2023

Trade name **ADOLIT BQ 30**

(Contd. of page 8)

<b>Substances of very high concern (SVHC) according to UK REACH</b>
CAS: 10043-35-3   boric acid

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

<b>SECTION 16: Other information</b>
--------------------------------------

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

**Relevant phrases**

H290 May be corrosive to metals.  
 H302 Harmful if swallowed.  
 H312 Harmful in contact with skin.  
 H314 Causes severe skin burns and eye damage.  
 H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H332 Harmful if inhaled.  
 H335 May cause respiratory irritation.  
 H360FD May damage fertility. May damage the unborn child.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H412 Harmful to aquatic life with long lasting effects.

**Classification according to Regulation (EC) No 1272/2008** Calculation method

**Department issuing data specification sheet:** Product Safety department / EHS

**Date of previous version:** 07.12.2022

**Version number of previous version:** 6

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
 ICAO: International Civil Aviation Organisation  
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)  
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Met. Corr. 1: Corrosive to metals – Category 1  
 Acute Tox. 4: Acute toxicity – Category 4  
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Repr. 1B: Reproductive toxicity – Category 1B  
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3