

Page 1/9

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.12.2022

Version number 5 (replaces version 4)

Revision: 09.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifier

Trade name AQUA PB-006

Article number: 3789, 3882-3885

**1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available. **Application of the substance / the mixture** Wood treatment

#### **1.3 Details of the supplier of the safety data sheet**

Manufacturer/Supplier: Remmers GmbH Bernhard-Remmers-Str. 13 D-49624 Löningen / Germany Mano Tel.: +49(0)5432/83-0 Fax: +49(0)5432/3985 Information department: Product Safety department: Phone: +44 (0) 1293 594 010 Email: sales@remmers.co.ukk

Remmers (UK) Limited Unit 4 , Lloyds Court Manor Royal, Crawley – West Sussex RH10 9QU fon +44 (0) 1293 594 010 fax +44 (0) 1293 594 037

#### 1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number: within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

2.2 Label elements
Labelling according to Regulation (EC) No 1272/2008 Void
Hazard pictograms Void
Signal word Void
Hazard statements Void
Additional information:
EUH208 Contains 2-methyl-2H-isothiazol-3-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
EUH210 Safety data sheet available on request.
EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
2.3 Other hazards

#### **Results of PBT and vPvB assessment PBT:** Not applicable. **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients** 

Page 2/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022

Version number 5 (replaces version 4)

Revision: 09.12.2022

# Trade name AQUA PB-006

		(Contd. of page
Dangerous components [% w	//w]:	
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17- XXXX	titanium dioxide Carc. 2, H351	≥10-<20%
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25- XXXX	propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	≥0.5-≤1%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36- XXXX	2-butoxyethanol Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg	≥0.5-≤1%
CAS: 57-55-6 EINECS: 200-338-0 Reg.nr.: 01-2119456809-23- XXXX	propylene glycol substance with a Community workplace exposure limit	≥0.25-≤0.5%
CAS: 111-30-8 EINECS: 203-856-5 Index number: 605-022-00-X Reg.nr.: 01-2119455549-26- XXXX	glutaral         Acute Tox. 3, H301; Acute Tox. 3, H331;         Resp. Sens. 1, H334; Met. Corr.1, H290; Skin         Corr. 1B, H314; Eye Dam. 1, H318; Aquatic         Acute 1, H400; Aquatic Chronic 2, H411; Skin         Sens. 1, H317; STOT SE 3, H335         Specific concentration limits:         Skin Corr. 1B;H314: C ≥ 10 %         Skin Irrit. 2; H315: 0.5 % ≤ C < 10 %	≥0.05-<0.1%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	≥0.0015-<0.05%

(Contd. on page 3)

Page 3/9

#### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 09.12.2022

Version number 5 (replaces version 4)

Revision: 09.12.2022

### Trade name AQUA PB-006

		(Contd. of page 2)
CAS: 26530-20-1 EINECS: 247-761-7 Index number: 613-112-00-5	2-octyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A;H317: C ≥ 0.0015 %	≥0.0025-<0.025%
CAS: 55965-84-9 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48- XXXX	reaction mass of 5-chloro-2- methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%

Additional information For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Take affected persons out of danger area and instruct to lie down.

If symptoms occur or in case of doubt, seek medical attention. In case of unconsciousness, do not administer anything orally.

After inhalation Seek immediate medical advice.

#### After skin contact

If skin irritation or rash appears, medical treatment is necessary.

Do not use solvents or thinners!

After eye contact Rinse opened eye for several minutes under running water.

After swallowing Keep the person affected quiet.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** symptomatic treatment

**SECTION 5: Firefighting measures** 

#### 5.1 Extinguishing media

#### Suitable extinguishing agents

Alcohol-resistant foam

Carbon dioxide

Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or mixture

Thick black smoke forms in fires. Inhalation of dangerous decomposition products may cause serious damage to your health.

#### 5.3 Advice for firefighters

Protective equipment: Wear self-contained breathing apparatus.

#### Additional information

Cool endangered containers with water spray jet.

Collect contaminated fire fighting water separately. It must not enter drains.

Page 4/9

# Safety data sheet

according to 1907/2006/EC, Article 31 Version number 5 (replaces version 4)

Printing date 09.12.2022

Revision: 09.12.2022

## Trade name AQUA PB-006

(Contd. of page 3)

**SECTION 6: Accidental release measures** 

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Use breathing protection against the effects of fumes/dust/aerosol.

Keep away from ignition sources

Ensure adequate ventilation Do not breathe fumes/aerosol

**6.2 Environmental precautions:** Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid prolonged or repeated skin contact. Avoid breathing fumes or sprayed mist. Extinguish all open flames, remove sources of ignition, avoid the formation of sparks. Do not smoke. Take precautionary measures against electrostatic charges. Ground all facilities. Do not empty product into waste water drains.

#### Information about protection against explosions and fires:

Fumes can combine with air to form an explosive mixture.

# 7.2 Conditions for safe storage, including any incompatibilities Storage

#### Requirements to be met by storerooms and containers:

Electrical facilities must be explosion protected according to standards. Floors must be electrically conductive.

#### Information on storage in a common storage facility:

Keep away from highly acidic and alkaline materials as well as oxidizing agents. **Further information about storage conditions:** Store between 15 and 30°C.

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Components with limit values that require monitoring at t	the workplace:
CAS: 13463-67-7 titanium dioxide	···· · · · · · · · · · · · · · · · · ·
WEL Long-term value: 10* 4** mg/m³ *total inhalable **respirable	
CAS: 67-63-0 propan-2-ol	
WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm	
CAS: 111-76-2 2-butoxyethanol	
WEL Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV	
CAS: 57-55-6 propylene glycol	
WEL Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates	
CAS: 111-30-8 glutaral	
WEL Short-term value: 0.2 mg/m³, 0.05 ppm Long-term value: 0.2 mg/m³, 0.05 ppm Sen	
	(Contd. on page 5

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.12.2022

Version number 5 (replaces version 4)

Revision: 09.12.2022

### Trade name AQUA PB-006

(Contd. of page 4)

	(Contu. of page 4)	
Ingredients with biological limit values:		
CAS: 111-76-2 2-butoxyethanol		
BMGV 240 mmol/mol creatinine		
Medium: urine		
Sampling time: post shift		
Parameter: butoxyacetic acid		
Additional information: The lists that were valid during compilation were used	l as a basis.	

#### 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

#### Individual protection measures, such as personal protective equipment General protective and hygienic measures

Wash hands before pauses and after work.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evalutated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euiqment is not required or the amount of the PPE can be adpated accordingly.

Respiratory equipment: Filter A/P2.

#### Hand protection

Impervious gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Safety glasses recommended during refilling.

#### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties		
General Information		
Physical state	Fluid	
Colour:	According to product specification	
Odour:	Fruit-like	
Odour threshold:	Not determined.	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and bo	iling	
range	100 °C	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable	
Ignition temperature:	not applicable	
Decomposition temperature:	Not determined.	
pH at 20 °C	8	
Viscosity:		
Kinematic viscosity at 20 °C	25-35 s (DIN 53211/4)	
dynamic:	Not determined.	

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.12.2022

Version number 5 (replaces version 4)

Revision: 09.12.2022

(Contd. of page 5)

# Trade name AQUA PB-006

Solubility	
Water:	Fully miscible
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	40 hPa
Density and/or relative density	
Density at 20 °C:	1-1.2 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health	1 Idid
and environment, and on safety.	
Explosive properties:	Product is not explosive.
Solvent separation test	< 3 %
Change in condition	
Evaporation rate	Not determined.
•	Not determined.
Information with regard to physical hazard	
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

**SECTION 10: Stability and reactivity** 

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if handled and stored according to specifications.

10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

At high temperatures, the following may occur:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

smoke

**SECTION 11: Toxicological information** 

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity:** Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification: No further relevant information available.

Page 7/9

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.12.2022

Version number 5 (replaces version 4)

Revision: 09.12.2022

(Contd. of page 6)

### Trade name AQUA PB-006

#### Skin corrosion/irritation:

Dries skin out. Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

May cause irritation.

Based on available data, the classification criteria are not met.

Sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

#### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

#### Additional ecological information:

#### General notes:

Do not allow product to reach ground water, bodies of water or sewage system.

Do not allow undiluted or larger quantities of the product to reach ground water, bodies fo water or sewage system.

**SECTION 13: Disposal considerations** 

#### Recommendation

Not hardened material must be disposed of as hazardous waste according to official regulations. Hardened product remains may be disposed of as building rubble or put into household garbage. The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

#### European waste catalogue

08 01 11\* waste paint and varnish containing organic solvents or other hazardous substances

#### **Uncleaned packaging:**

#### Recommendation:

Disposal must be made according to official regulations. Packaging can be reused or recycled after cleaning.

Recommended cleaning agent: Water, if necessary with cleaning agent.

#### **SECTION 14: Transport information**

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	

(Contd. on page 8)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.12.2022

Version number 5 (replaces version 4)

Revision: 09.12.2022

(Contd. of page 7)

### Trade name AQUA PB-006

	(**************************************
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi	ng to
IMO instruments	Not applicable.
Transport/Additional information:	Not a hazardous good according to the above regulations.
UN "Model Regulation":	Void

**SECTION 15: Regulatory information** 

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

#### **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H290 May be corrosive to metals.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.

Page 9/9

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.12.2022

Version number 5 (replaces version 4)

Revision: 09.12.2022

#### Trade name AQUA PB-006

(Contd. of page 8) H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. Classification according to Regulation (EC) No 1272/2008 Calculation method Department issuing data specification sheet: Product Safety department / EHS Date of previous version: 27.05.2020 Version number of previous version: 4 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1: Skin corrosion/irritation - Category 1 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Corr. 1C: Skin corrosion/irritation - Category 1C Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2