

Page 1/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.12.2022 Version number 4 (replaces version 3) Revision: 12.12.2022

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### Trade name ACYRL PRO

Article number: 7801

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product category PC1 Adhesives, sealants

**Technical function** Barrier (Sealant)

# 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Remmers GmbH

Bernhard-Remmers-Str. 13

D-49624 Löningen / Germany

Manor Royal, Crawley – West Sussex RH10 9QU

D-49624 Löningen / Germany Manor Royal, Crawley – West Sussex RH10 9QU Tel.: +49(0)5432/83-0 fon +44 (0) 1293 594 010 Fax: +49(0)5432/3985 fax +44 (0) 1293 594 037

Information department:

Product Safety department: Phone: +44 (0) 1293 594 010

Email: sales@remmers.co.ukk

#### 1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number:

within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

**Additional information:** 

EUH210 Safety data sheet available on request.

2.3 Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Mixture of the substances listed below with harmless additions.

(Contd. on page 2)

Printing date 12.12.2022 Version number 4 (replaces version 3) Revision: 12.12.2022

# Trade name ACYRL PRO

(Contd. of page 1)

		(Oonta. or page 1)		
Dangerous components [% w/w]:				
CAS: 123-86-4 EINECS: 204-658-1 Index number: 607-025-00-1 Reg.nr.: 01-2119485493-29- XXXX	n-butyl acetate Flam. Liq. 3, H226; STOT SE 3, H336, EUH066	≥10-<20%		
CAS: 141-78-6 EINECS: 205-500-4 Index number: 607-022-00-5 Reg.nr.: 01-2119475103-46- XXXX	ethyl acetate Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	≥1-<2.5%		
CAS: 1330-20-7 EINECS: 215-535-7 Reg.nr.: 01-2119488216-32- XXXX	xylene   Flam. Liq. 3, H226; STOT RE 2, H373; Asp. Tox. 1, H304; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye   Irrit. 2, H319; STOT SE 3, H335	≥1-<2.5%		
CAS: 71-36-3 EINECS: 200-751-6 Index number: 603-004-00-6 Reg.nr.: 01-2119484630-38- XXXX	n-butanol Flam. Liq. 3, H226; Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H335-H336	≥0.25-≤0.5%		
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25- XXXX	propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	≥0.1-≤0.25%		

Additional information For the wording of the listed hazard phrases refer to section 16.

#### \* SECTION 4: First aid measures

#### 4.1 Description of first aid measures

After inhalation Seek medical treatment in case of complaints.

**After skin contact** If skin irritation continues, consult a doctor.

After eye contact Seek medical treatment.

**After swallowing** In case of prolonged discomfort, see a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

In case of prolonged/repeated exposure or in high concentrations:

Headache

Dizziness

#### 4.3 Indication of any immediate medical attention and special treatment needed

symptomatic treatment

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing agents

Carbon dioxide

Alcohol-resistant foam

Fire-extinguishing powder

Water spray jet

Use fire fighting measures that suit the environment.

#### 5.2 Special hazards arising from the substance or mixture

Thick black smoke forms in fires. Inhalation of dangerous decomposition products may cause serious damage to your health.

May be released in case of fire

Carbon monoxide (CO)

Carbon dioxide

Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

# Protective equipment:

Wear self-contained breathing apparatus.

Wear full protective suit.

(Contd. on page 3)

Version number 4 (replaces version 3) Printing date 12.12.2022 Revision: 12.12.2022

# Trade name ACYRL PRO

(Contd. of page 2)

# **Additional information**

Cool endangered containers with water spray jet.

Collect contaminated fire fighting water separately. It must not enter drains.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources

Ensure adequate ventilation

**6.2 Environmental precautions:** Do not allow to enter the ground/soil.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Use only in well ventilated areas.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

#### Information about protection against explosions and fires:

Fumes can combine with air to form an explosive mixture.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers: No special requirements.

Information on storage in a common storage facility: none

#### Further information about storage conditions:

Store container in a well ventilated position.

Protect from frost.

### SECTION 8: Exposure controls/personal protection

8.1 Control parameters		
Components with limit values that require monitoring at the workplace:		
CAS: 123-86-4 n-butyl acetate		
WEL Short-term value: 966 mg/m³, 200 ppm		
Long-term value: 724 mg/m³, 150 ppm		
CAS: 141-78-6 ethyl acetate		
WEL Short-term value: 1468 mg/m³, 400 ppm		
Long-term value: 734 mg/m³, 200 ppm		
CAS: 1330-20-7 xylene		
WEL Short-term value: 441 mg/m³, 100 ppm		
Long-term value: 220 mg/m³, 50 ppm		
Sk; BMGV		
CAS: 71-36-3 n-butanol		
WEL Short-term value: 154 mg/m³, 50 ppm		
Sk		
CAS: 67-63-0 propan-2-ol		
WEL Short-term value: 1250 mg/m³, 500 ppm		
Long-term value: 999 mg/m³, 400 ppm		
Ingredients with biological limit values:		
CAS: 1330-20-7 xylene		
BMGV 650 mmol/mol creatinine		
Medium: urine		
Sampling time: post shift		
Parameter: methyl hippuric acid		

(Contd. on page 4)

Printing date 12.12.2022 Version number 4 (replaces version 3) Revision: 12.12.2022

# Trade name ACYRL PRO

(Contd. of page 3)

Additional information: The lists that were valid during compilation were used as a basis.

#### 8.2 Exposure controls

Appropriate engineering controls Use only in well-ventilated areas.

Individual protection measures, such as personal protective equipment

#### General protective and hygienic measures

Do not eat, drink or smoke while working.

Apply solvent-resistant skin protection preparation before beginning work.

Wash hands before pauses and after work.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evalutated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euiqment is not required or the amount of the PPE can be adpated accordingly.

#### Respiratory equipment:

Not necessary if room is well-ventilated.

Short term filter device:

Filter A (brown)

#### **Hand protection**

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Safety glasses recommended during refilling.

Body protection: Light weight protective clothing

# \* SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Fluid Colour: Clear

Odour:CharacteristicOdour threshold:Not determined.Melting point/freezing point:Not determined

Boiling point or initial boiling point and boiling

range Not determined Flammability Not applicable.

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable
Ignition temperature: 370 °C

Decomposition temperature: Not determined. pH Not determined.

Viscosity:

**Kinematic viscosity dynamic at 20 °C:**Not determined.
500000 mPas

(Contd. on page 5)

# Safety data sheet

according to 1907/2006/EC, Article 31

Version number 4 (replaces version 3) Printing date 12.12.2022 Revision: 12.12.2022

# Trade name ACYRL PRO

(Contd. of page 4)

Solubility

Water: Not miscible or difficult to mix

Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 13 hPa

Density and/or relative density

Density at 20 °C: 1.05 g/cm<sup>3</sup> Relative density Not determined. Vapour density Not determined.

9.2 Other information

Appearance:

Form: Pasty

Important information on protection of health

and environment, and on safety.

**Explosive properties:** Product is not explosive.

Solvent separation test Organic solvents: 22.5 %

Change in condition

**Evaporation rate** Not determined.

Information with regard to physical hazard

classes

**Explosives** Void Void Flammable gases Void **Aerosols** Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void **Oxidising solids** Void Organic peroxides Void Corrosive to metals Void

#### **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

**Desensitised explosives** 

#### Thermal decomposition / conditions to be avoided:

No decomposition if handled and stored according to specifications.

Avoid: heat, flames, sparks

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:

None if used properly.

None if stored properly.

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Void

**Acute toxicity:** Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 12.12.2022 Version number 4 (replaces ve

Version number 4 (replaces version 3) Revision: 12.12.2022

# Trade name ACYRL PRO

(Contd. of page 5)

LD/LC50 values that are relevant for classification:			
CAS: 123-	-86-4 n-bu	tyl acetate	
Oral	LD50	14,000 mg/kg (rat)	
Inhalative	LC50/4 h	>21 mg/l (rat)	

**Skin corrosion/irritation:** Based on available data, the classification criteria are not met. **Serious eye damage/irritation:** Based on available data, the classification criteria are not met.

Sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards

#### **Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

#### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### 12.7 Other adverse effects

#### Additional ecological information:

General notes: Do not allow product to reach ground water, bodies of water or sewage system.

### **SECTION 13: Disposal considerations**

#### Recommendation

Not hardened material must be disposed of as hazardous waste according to official regulations. Hardened product remains may be disposed of as building rubble or put into household garbage. The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

## European waste catalogue

08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances

#### Uncleaned packaging:

#### **Recommendation:**

Disposal must be made according to official regulations.

Packaging can be reused or recycled after cleaning.

### **SECTION 14: Transport information**

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	

Printing date 12.12.2022 Version number 4 (replaces version 3) Revision: 12.12.2022

Trade name ACYRL PRO

(Contd. of page 6)

14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable.
Transport/Additional information:	Not a hazardous good according to the above regulations.
UN "Model Regulation":	Void

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

#### **REGULATION (EU) 2019/1148**

# Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

#### **National regulations**

### Other regulations, limitations and prohibition ordinances

Observe the usual protective measures when working and for storage.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

#### Relevant phrases

H225	Highly flammable liquid and vapou	ır
11440	THURST HAITINADIC HUURU AND VADOU	

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No 1272/2008 Calculation method

Department issuing data specification sheet: Product Safety department / EHS

Date of previous version: 12.12.2018 Version number of previous version: 3

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 8)

Page 8/8

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.12.2022 Version number 4 (replaces version 3) Revision: 12.12.2022

# Trade name ACYRL PRO

(Contd. of page 7)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Asp. Tox. 1: Aspiration hazard - Category 1