

Page 1/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.06.2024

Version number 1

Revision: 14.06.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name **MB Fix 2K FK**

Article number: 0021085500

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. **Application of the substance / the mixture** Adhesives

Email: sales@remmers.co.ukk

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Remmers GmbH Bernhard-Remmers-Str. 13 D-49624 Löningen / Germany Mar Tel.: +49(0)5432/83-0 Fax: +49(0)5432/3985 Information department: Product Safety department: Phone: +44 (0) 1293 594 010

Remmers (UK) Limited Unit 4 , Lloyds Court Manor Royal, Crawley – West Sussex RH10 9QU fon +44 (0) 1293 594 010 fax +44 (0) 1293 594 037

1.4 Emergency telephone number:

National Poisons Information Service (NPIS): In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

24h-Transport Emergency Contact Phone Number: within USA and Canada: 1-800-424-9300 outside USA and Canada: 001-703-527-3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation. Hazard pictograms



Signal word Warning

Hazard-determining components of labelling:

2-methyl-2H-isothiazol-3-one

1,2-benzisothiazol-3(2H)-one

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Page 2/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.06.2024

Version number 1

Revision: 14.06.2024

Trade name MB Fix 2K FK

(Contd. of page 1) P103 Read carefully and follow all instructions. P261 Avoid breathing mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Determination of endocrine-disrupting properties Not applicable. SECTION 3: Composition/information on ingredients 3.2 Mixtures Description: Mixture of the substances listed below with harmless additions. Dangerous components [% w/w]:

CAS: 68610-51-5	phenol, 4-methyl-, reaction products with	≥0.25-≤0.5%
EINECS: 271-867-2	dicyclopentadiene and isobutylene	
Reg.nr.: 01-2119496062-39-	Repr. 2, H361; Aquatic Chronic 4, H413	
XXXX		
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	≥0.0015-<0.05%
EINECS: 220-120-9	Eye Dam. 1, H318; Aquatic Acute 1, H400;	
Index number: 613-088-00-6	Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin	
	Sens. 1, H317	
	Specific concentration limit:	
	Skin Sens. 1;H317: C ≥ 0.05 %	
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	≥0.0015-<0.025%
EINECS: 220-239-6	Acute Tox. 3, H301; Acute Tox. 3, H311;	
Index number: 613-326-00-9	Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye	
	Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1A, H317,	
	EUH071	
	Specific concentration limit:	
	Skin Sens. 1A;H317: C ≥ 0.0015 %	
CAS: 55965-84-9	reaction mass of 5-chloro-2- methyl-2H-	≥0.00025-<0.0015%
Index number: 613-167-00-5	isothiazol-3-one and 2-methyl-2H-isothiazol-3-	
	one (3:1)	
	Acute Tox. 3, H301; Acute Tox. 2, H310;	
	Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye	
	Dam. 1, H318; Aquatic Acute 1, H400	
	(M=100); Aquatic Chronic 1, H410 (M=100);	
	Skin Sens. 1A, H317, EUH071	
	Specific concentration limits:	
	Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: $C \ge 0.6 \%$	
	Eye Irrit. 2; H319: $0.06 \% \le C < 0.6 \%$	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	
	vording of the listed bazard phrases refer to see	

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product. After inhalation

Supply fresh air and call for doctor for safety reasons.

In case of unconsciousness bring patient into stable side position for transport.

After skin contact Wash immediately with water and soap and rinse thoroughly. After eye contact Rinse opened eye for several minutes under running water.

(Contd. on page 3)

Page 3/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.06.2024

Version number 1

Revision: 14.06.2024

Trade name MB Fix 2K FK

(Contd. of page 2)

After swallowing Seek immediate medical advice. 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed symptomatic treatment SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire fighting measures that suit the environment.

The product is not flammable

5.2 Special hazards arising from the substance or mixture No further relevant information available. 5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Keep people at a distance and stay on the windward side.

6.2 Environmental precautions: Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaust in workplaces. Avoid the formation of aerosols.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and containers: No special requirements. Further information about storage conditions: None.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with limit values that have to be monitored at the workplace.

Additional information: The lists that were valid during compilation were used as a basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment General protective and hygienic measures

Immediately remove soiled, saturated clothing.

Wash hands before pauses and after work.

The following indication regarding the personal protective equipment are to be considered as suggestions. The selection of the necessary personal protective equipment is to be evalutated by the employer depending on the types of operations and the local circumstances. If a risk assessment onsite shows that there is no risk for employees, the personal protective euiqment is not required or the amount of the PPE can be adpated accordingly.

Respiratory equipment:

In case of brief exposure or low pollution load, use respiratory protection equipment with filter. In case of intensive or longer exposure, use self-contained respiratory protection equipment.

Hand protection

Protective gloves.

Page 4/7

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.06.2024

Version number 1

Revision: 14.06.2024

Trade name MB Fix 2K FK

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Break through time: max. 240 min (DIN EN 374).

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection Safety glasses recommended during refilling.

SECTION 9: Physical and chemical properties

	9.1 Information on basic physical and chemical properties		
General Information			
Physical state	Fluid		
Colour:	According to product specification		
Odour:	Characteristic		
Odour threshold:	Not determined.		
Melting point/freezing point:	Not determined		
Boiling point or initial boiling point and boiling			
range	100 °C (CAS: 7732-18-5 Water)		
Flammability	Not applicable.		
Lower and upper explosion limit			
Lower:	Not determined.		
Upper:	Not determined.		
Flash point:	Not applicable		
Auto-ignition temperature:	not applicable		
Decomposition temperature:	Not determined.		
pH	Not determined.		
Viscosity:			
Kinematic viscosity	Not determined.		
dynamic:	Not determined.		
Solubility			
Water:	Fully miscible		
Partition coefficient n-octanol/water (log value			
Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 Water)		
Density and/or relative density			
Density at 20 °C:	1.014 g/cm ³		
Relative density	Not determined.		
Vapour density	Not determined.		
9.2 Other information			
Appearance:			
Form:	Fluid		
Important information on protection of health			
and environment, and on safety.	-		
Explosive properties:	Product is not explosive.		
Solvent separation test	< 3 %		
Organic solvents:	0.0 %		
VOC EU			
Solid content:	29-31 %		
Change in condition			
Evaporation rate	Not determined.		
	(Contd. on page 5)		

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.06.2024

Version number 1

Revision: 14.06.2024

(Contd. of page 4)

Trade name MB Fix 2K FK

		(**************************************
Information with regard to physical hazard classes		
	Void	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification: No further relevant information available. Skin corrosion/irritation: Based on available data, the classification criteria are not met. Serious eye damage/irritation: Based on available data, the classification criteria are not met. Sensitisation: May cause an allergic skin reaction.

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met. STOT-single exposure: Based on available data, the classification criteria are not met. STOT-repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met. 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.06.2024

Version number 1

Revision: 14.06.2024

Trade name MB Fix 2K FK

(Contd. of page 5)

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

Additional ecological information:

General notes: Do not allow product to reach ground water, bodies of water or sewage system.

SECTION 13: Disposal considerations

Recommendation

The given refuse codes are recommendations based upon the intended use of the product. Because of special use and disposal conditions at the user's, other codes may apply under other conditions.

European waste catalogue

08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations. Packaging can be reused or recycled after cleaning. **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA	Void	
, ,	VOIU	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk according to		
IMO instruments	Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poisons Act

Regulated explosives precursors				
None of the ingredients is listed.				
Reportable explosives precursors				
None of the ingredients is listed.				
12% of total caustic alkalinity				
17% of total caustic alkalinity				

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.06.2024

Version number 1

Revision: 14.06.2024

Trade name MB Fix 2K FK

(Contd. of page 6)

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in

electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This data is based on our present state of knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally valid contractual relationship. Delivery specifications are found in the respective Technical Information Sheets.

Relevant phrases

- Toxic if swallowed. H301
- Harmful if swallowed. H302
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H361 Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life.
- Very toxic to aquatic life with long lasting effects. H410
- May cause long lasting harmful effects to aquatic life. H413
- EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008 Calculation method

Department issuing data specification sheet: Product Safety department / EHS

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

- Acute Tox. 3: Acute toxicity Category 3 Acute Tox. 4: Acute toxicity Category 4 Acute Tox. 2: Acute toxicity Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Repr. 2: Reproductive toxicity - Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4