

The logo for 'remmers' features a red chevron shape above the brand name in a blue, lowercase sans-serif font.

DES  
indulge  
IGN

RAIN

forest

*From the heart of nature*

MERANTI



## MERANTI

### NATUR

INDULINE GW-360 FT47300  
INDULINE LW-700/20 UV+

### NATUR GŁĘBOKI MAT

INDULINE GW-360 FT47300  
INDULINE LW-721/05

### NATUR EFFEKT

INDULINE GW-360 FT38856  
INDULINE LW-715E/30 FT38857

### ORZECH MAKADAMIA

INDULINE GW-360 FT47301  
INDULINE LW-715E/30 FT48546

### JODŁA

INDULINE GW-360 FT47301  
INDULINE LW-715E/30 FT47311

### OPAL WEISS

INDULINE GW-360 030 Opal weiss  
INDULINE LW-715E/30 030 Opal weiss

### MIODOWA SOSNA

INDULINE GW-360 FT47302  
INDULINE LW-715E/30 FT47312

### CEDR GÓRSKI

INDULINE GW-360 FT47302  
INDULINE LW-715E/30 FT47313

### DĄB RUSTIKAL

INDULINE GW-360 FT47303  
INDULINE LW-715E/30 FT47314

### GRUSZA LOKARNO

INDULINE GW-360 FT47304  
INDULINE LW-715E/30 FT47315



**TABASCO**

INDULINE GW-360 FT49751  
INDULINE LW-715E/30 FT49752

**CZEREMCHA**

INDULINE GW-360 FT47304  
INDULINE LW-715E/30 FT47316

**CIEMNY TEAK**

INDULINE GW-360 FT47303  
INDULINE LW-715E/30 FT47317

**ORZECH BRAZYLIJSKI**

INDULINE GW-360 FT11009  
INDULINE LW-715E/30 FT38576

**MAHOŃ**

INDULINE GW-360 FT49748  
INDULINE LW-715E/30 FT49749

**WIŚNIA OXFORD**

INDULINE GW-360 FT47305  
INDULINE LW-715E/30 FT47318

**ORZECH LUGANO**

INDULINE GW-360 FT47305  
INDULINE LW-715E/30 FT47319

**LAPACHO**

INDULINE GW-360 FT47305  
INDULINE LW-715E/30 FT47320

**WENGE**

INDULINE GW-360 FT47305  
INDULINE LW-715E/30 FT47321

**TROPIKALNA ZIELEŃ**

INDULINE GW-360 D6007  
INDULINE LW-715E/30 D6007



*From the heart of nature*

**remmers**

**Remmers Polska Sp. z o.o.** | tel. +48 (61) 816 81 00  
ul. Sowia 8, 62-080 Targowo Podgórne | [www.remmers.pl](http://www.remmers.pl)

Wybarwienia lazurowe uzyskano: SW-900 (sosna), GW-360 - zanurzenie, ZW-504i - natrysk, LW-715E/30 - natrysk.  
Die azurblauen Farbtöne erzielt: SW-900 (Kiefer), GW-360 - Tauchen, ZW-504i - Spritzen, LW-715E/30 - Spritzen.  
The lasure colours were achieved by the application of: SW-900 (pine), GW-360 - immersion, ZW-504i - spray, LW-715E/30 - spray.